



EFFICIENT 13 SEER AIR CONDITIONER

ENVIRONMENTALLY SOUND R-410A REFRIGERANT

1-1/2 THRU 5 TONS SPLIT SYSTEM

208 / 230 Volt, 1-phase, 60 Hz

REFRIGERATION CIRCUIT

- Scroll compressors on all models
- Filter-Drier supplied with every unit for field installation
- Copper tube / aluminum fin coil

EASY TO INSTALL AND SERVICE

- Easy Access service valves on all models
- External high and low refrigerant service ports
- Only two screws to access control panel
- Factory charged with R-410A refrigerant

BUILT TO LAST

- Baked-on powder coat finish over galvanized steel
- Post-painted (black) coil fins
- Coated, weather-resistant cabinet screws
- Coated inlet grille with 2" (51mm) spacing standard, alternate models available with 3/8" (10mm) grille spacing for extra protection (hail guard)

WARRANTY*

- 5 year compressor limited warranty
- 5 year parts limited warranty (including compressor and coil)
 - With timely registration, an additional 5 year parts limited warranty (including compressor and coil)

* Applies to original purchaser/homeowner, some limitations may apply. See Warranty certificate for complete details.




Use of the AHRI Certified TM Mark indicates a manufacturer's participation in the program. For verification of certification for individual products, go to www.ahridirectory.org.



Model Number	Size (tons)	Nominal BTU/hr	Min. Circuit Ampacity	Max. Fuse or Breaker	Operating Dimensions height x width x depth in. (mm)	Ship / Operating Weight lbs. (kg)
N4A318AKB	1-1/2	18,000	11.8	20	25-5/16 x 23-1/8 x 23-1/8 (643 x 587 x 587)	130 / 107 (59 / 49)
18GKB	same model with 3/8" (10mm) spacing inlet grille (hail guard)					
N4A324AKB	2	24,000	17.6	25	25-5/16 x 23-1/8 x 23-1/8 (643 x 587 x 587)	134 / 110 (61 / 50)
24GKB	same model with 3/8" (10mm) spacing inlet grille (hail guard)					
N4A330AKC	2-1/2	30,000	16.8	25	28-11/16 x 23-1/8 x 23-1/8 (729 x 587 x 587)	136 / 111 (62 / 50)
30GKC	same model with 3/8" (10mm) spacing inlet grille (hail guard)					
N4A336AKB	3	36,000	21.5	30	31-13/16 x 25-3/4 x 25-3/4 (808 x 654 x 654)	170 / 141 (77 / 64)
36GKB	same model with 3/8" (10mm) spacing inlet grille (hail guard)					
N4A342AKA	3-1/2	42,000	23.5	40	32-5/16 x 31-3/16 x 31-3/16 (821 x 792 x 792)	208 / 180 (94 / 82)
42GKA	same model with 3/8" (10mm) spacing inlet grille (hail guard)					
N4A348AKB	4	48,000	26.2	40	35-3/4 x 31-3/16 x 31-3/16 (908 x 792 x 792)	215 / 178 (98 / 81)
48GKB	same model with 3/8" (10mm) spacing inlet grille (hail guard)					
N4A360AKC	5	60,000	34.2	50	25-1/2 x 31-3/16 x 31-3/16 (648 x 792 x 792)	218 / 184 (99 / 84)
60GKC	same model with 3/8" (10mm) spacing inlet grille (hail guard)					


OUTDOOR UNIT MODEL NUMBER IDENTIFICATION GUIDE (single phase)											
Digit Position:	1	2	3	4	5, 6	7	8	9	10	11	12
Example Part Number:	N	4	A	3	18	A	K	B	1	0	0
T = Tempstar Mainline											
N = Tempstar Entry BRANDING											
4 = R-410A REFRIGERANT											
A = Air Conditioner											
H = Heat Pump TYPE											
3 = 13 SEER											
4 = 14 SEER NOMINAL EFFICIENCY											
18 = 18,000 BTUH = 1-1/2 tons											
24 = 24,000 BTUH = 2 tons											
30 = 30,000 BTUH = 2-1/2 tons											
36 = 36,000 BTUH = 3 tons											
42 = 42,000 BTUH = 3-1/2 tons											
48 = 48,000 BTUH = 4 tons											
60 = 60,000 BTUH = 5 tons NOMINAL CAPACITY											
A = Standard Grille											
G = Coil Guard Grille											
C = Coastal FEATURES											
K = 208/230-1-60 VOLTAGE											
Sales Code											
Engineering Revision											
Extra Digit											
Extra Digit											

ACCESSORIES PART NUMBER IDENTIFICATION GUIDE									
Digit Position:	1	2	3	4	5	6, 7	8, 9	10, 11	
Example Part Number:	N	A	S	A	0	01	01	CH	
N = Non-Branded BRANDING									
A = Accessory PRODUCT GROUP									
S = Split System (AC & HP) KIT USAGE									
A = Original									
B = 2nd Generation MAJOR SERIES									
0 = Generic or Not Applicable									
2 = R-22									
4 = R-410A REFRIGERANT									
Product Identifier Number									
Package Quantity									
Type of Kit (Example: CH = Crankcase Heater)									



Dimensions Inches (English)

Model (* = A or G)	A	B	C	D	E	F	G	K	L	M	N	P	Minimum Mounting Pad Size	Grated Dimensions h x w x d
N4A318*KB	23-1/8	25-5/16	3-3/4	3/4	4-7/16	18-1/16	7-13/16	2-13/16	1/2	16-1/2	15	12	23-1/2 x 23-1/2	33-1/2 x 27-3/8 x 24-1/4
N4A324*KB	23-1/8	25-5/16	3-3/4	3/4	4-7/16	18-1/16	7-13/16	2-13/16	1/2	16-1/2	15	12	23-1/2 x 23-1/2	33-1/2 x 27-3/8 x 24-1/4
N4A330*KC	23-1/8	28-11/16	3-3/4	3/4	4-7/16	18-1/16	7-13/16	2-13/16	1/2	16-1/2	15	14	23-1/2 x 23-1/2	33-1/2 x 27-3/8 x 24-1/4
N4A336*KB	25-3/4	31-13/16	3-7/8	7/8	6-9/16	21-1/4	9-1/8	2-15/16	5/8	14-1/4	10-1/2	16	26 x 26	35-15/16x30-1/16x26-7/8
N4A342*KA	31-3/16	32-5/16	3-7/8	7/8	6-9/16	24-11/16	9-1/8	2-15/16	5/8	15-3/4	16-1/4	13-3/4	31-1/2 x 31-1/2	33-1/2 x 35-1/2 x 32-3/8
N4A348*KB	31-3/16	35-3/4	3-7/8	7/8	6-9/16	24-11/16	9-1/8	2-15/16	5/8	14-3/4	15-3/8	15	31-1/2 x 31-1/2	39-3/8 x 35-1/2 x 32-3/8
N4A360*KC	31-3/16	25-1/2	3-7/8	7/8	6-9/16	24-11/16	9-1/8	2-15/16	5/8	14-1/8	15-3/8	11-3/4	31-1/2 x 31-1/2	32-9/16 x 35-1/2 x 32-3/8



Dimensions mm (SI Metric)

Model (* = A or G)	A	B	C	D	E	F	G	K	L	M	N	P	Minimum Mounting Pad Size	Crated Dimensions h x w x d
N4A318*KB	587	643	95	19	113	459	198	71	13	419	381	305	597 x 597	851 x 695 x 616
N4A324*KB	587	643	95	19	113	459	198	71	13	419	381	305	597 x 597	851 x 695 x 616
N4A330*KC	587	729	95	19	113	459	198	71	13	419	381	356	597 x 597	851 x 695 x 616
N4A336*KB	654	808	98	22	167	540	232	75	16	362	267	406	660 x 660	913 x 764 x 683
N4A342*KA	792	821	98	22	167	627	232	75	16	400	413	349	800 x 800	913 x 902 x 822
N4A348*KB	792	908	98	22	167	627	232	75	16	375	391	381	800 x 800	1000 x 902 x 822
N4A360*KC	792	648	98	22	167	627	232	75	16	359	391	298	800 x 800	827 x 902 x 822

PHYSICAL DATA							
Model Size	18	24	30	36	42	48	60
Nominal Cooling Capacity (BTU/hr)	18,000	24,000	30,000	36,000	42,000	48,000	60,000
Nominal SEER	13.0	13.0	13.0	13.0	13.0	13.0	13.0
Sound Rating (dBA)**	72	76	74	75	78	80	78
PSC Fan Motor HP	1/12	1/10	1/10	1/4	1/5	1/4	1/4
Fan RPM (single speed)	1100	1100	1100	1100	1100	1100	800
Fan CFM	1792	2218	2218	2954	3167	3365	3365
Coil Face Area ft ² (m ²)	8.40 (.78)	8.40 (.78)	9.80 (.91)	13.13 (1.22)	17.25 (1.6)	19.40 (1.8)	12.93 (1.2)
Coil Rows – fins per inch	1 – 20	1 – 25	1 – 25	1 – 25	1 – 25	1 – 25	2 – 20
Liquid Line Connection Size in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Vapor Line Connection Size in. (mm)	3/4 (19)	3/4 (19)	3/4 (19)	7/8 (22)	7/8 (22)	7/8 (22)	7/8 (22)
Recommended Line Set Liquid Tube Diameter in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Recommended Line Set Vapor Tube Diameter in. (mm)	3/4 (19)*	3/4 (19)*	3/4 (19)*	7/8 (22)*	7/8 (22)*	7/8 (22)*	1 1/8 (29)*
* Recommended Vapor Tube Line size is for standard installations. These recommendations may not apply to “Long Line” installations. When the total equivalent line length exceeds 80 feet (24.4m) or there is more than 20 feet (6.1m) vertical separation between indoor and outdoor units, consult the Long Line Application Guideline document before purchasing/installing line sets.							
Factory Charge R-410A lbs. (kg)	3.50 (1.59)	3.80 (1.72)	4.10 (1.86)	5.34 (2.42)	5.84 (2.65)	7.00 (3.18)	8.19 (3.71)
Required Subcooling ° F (° C)	10 (6)	10 (6)	10 (6)	14 (8)	10 (6)	15 (8)	13 (7)
Weight, shipping lbs. (kg)	130 (59)	134 (61)	136 (62)	170 (77)	208 (94)	216 (98)	218 (99)
Weight, operating lbs. (kg)	107 (49)	110 (50)	111 (50)	141 (64)	180 (82)	179 (81)	184 (84)

ELECTRICAL DATA (208/230-1-60, voltage range 197V – 253V)							
Model Size	18	24	30	36	42	48	60
Minimum Circuit Ampacity – MCA (amps)	11.8	17.6	16.8	21.5	23.5	26.2	34.2
Maximum OverCurrent Protective device – MOCP (amps)	20	25	25	30	40	40	50
Compressor RLA (Rated Load Amps)	9.0	13.5	12.8	15.3	17.9	19.9	26.4
LRA (Locked Rotor Amps)	48.0	58.3	64.0	77.0	112.0	109.0	134.0
Fan Motor FLA (Full Load Amps)	.5	.77	.77	1.4	1.1	1.4	1.2

**Sound Rating tested in accordance with ARI Standard 270-95 (not listed with ARI).

R-410A COOLING CAPACITY LOSS FOR VARIOUS LINE LENGTHS & TUBE DIAMETERS															
Model Size	Liquid Line in.(mm)	Acceptable Vapor Line Sizes in. (mm)	Cooling Capacity Loss (%) at Total Equivalent Line Length, feet (m) Refer to Long Line Application Guideline to calculate equivalent length												
			Standard Application			Long Line Application (Requires Accessories)									
			25' (7.6)	50' (15.2)	80' (24.4)	81' (24.7)	100' (30.5)	125' (38.1)	150' (45.7)	175' (53.3)	200' (61)	225' (68.6)	250' (76.2)		
18	3/8 (10)	1/2 (13)	1	2	3	3	4	6	7	8	9	10	12		
		5/8 (16)	0	0	1	1	1	1	2	2	3	3	3		
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	1		
24		5/8 (16)	0	1	1	1	2	3	3	4	4	5	6		
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	2		
		7/8 (22)	0	0	0	0	0	0	0	0	0	0	1		
30		5/8 (16)	1	2	3	3	3	4	5	6	7	8	9		
		3/4 (19)	0	0	1	1	1	1	2	2	2	3	3		
		7/8 (22)	0	0	0	0	0	1	1	1	1	1	1		
36		5/8 (16)	1	2	4	4	5	6	7	9	10	11	13		
		3/4 (19)	0	0	1	1	1	2	2	3	3	4	4		
		7/8 (22)	0	0	0	0	0	1	1	1	1	2	2		
42	3/4 (19)	0	1	2	2	2	3	4	4	5	6	6			
	7/8 (22)	0	0	1	1	1	1	2	2	2	3	3			
	1-1/8 (29)	0	0	0	0	0	0	0	0	0	0	1			
48/49	3/4 (19)	0	1	2	2	3	4	5	5	6	7	8			
	7/8 (22)	0	0	1	1	1	2	2	2	3	3	4			
	1-1/8 (29)	0	0	0	0	0	0	0	0	1	1	1			
60/61	3/4 (19)	1	2	4	4	5	6	7	9	10	11	12			
	7/8 (22)	0	1	2	2	2	3	4	4	5	5	6			
	1-1/8(29)	0	0	0	0	1	1	1	1	1	1	2			

* Applications are considered "Long Line" if the total equivalent tubing length exceeds 80 feet (24.4m) or there is more than 20 foot (6.1m) vertical separation between indoor and outdoor units. These applications require additional accessories and system modifications for reliable system operation.

Applications in shaded area may have height restrictions that limit allowable total equivalent length when outdoor unit is below indoor unit.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318AKB	*ED*4X18B**		17200	TXV		13		10.9
	FEA4X18**A*		18000	TDR&TXV	14			12
	FEA4X24**A*		18000	TDR&TXV	14.5			12.2
	FEM4P18**A*		17800	TDR	14.5			12
	FEM4P18**A*		17800	TDR			14.5	12
	FEM4P24**A*		17800	TDR	14.5			12
	FEM4P24**A*		17800	TDR			14.5	12
	FEM4X18****		17200	TDR&TXV	14			12
	FEM4X24****		17200	TDR&TXV	14.5			12.2
	FS(M,U)4P18**A*		17800	TDR	13.5			11
	FS(M,U)4P18**A*		17800	TDR			13.5	11
	FS(M,U)4P24**A*		17800	TDR	13.5			11
	FS(M,U)4P24**A*		17800	TDR			13.5	11
	FS(M,U)4X18****		17200	TDR&TXV	13			10.9
	FS(M,U)4X24****		18000	TDR&TXV	13			10.9
	FSA4X18**A*		17200	TDR&TXV	13			10.9
	FSA4X24**A*		17200	TDR&TXV	13			10.9
	FVM4X24****		17200	TDR&TXV	14.5			12.2
	FXM4X18**A*		18000	TDR&TXV	14.5			12
	FXM4X24**A*		18200	TDR&TXV	14.5			12
	FXM4X30**A*		18200	TDR&TXV	14.5			12
	EA*4X18*14A*	*8MX*0451408**	17700	TDR&TXV	14.5			12
	EA*4X18*14A*	*8MV*0701412**	17500	TDR&TXV	14.5			12
	EA*4X18*14A*	*9MX*0401410A**	17400	TDR&TXV	14.2			11.8
	EA*4X18*14A*	*9MV*0401410A**	17500	TDR&TXV	14			11.5
	EA*4X18*14A*		17600	TXV		13		10.9
	EA*4X24*14A*	*8MX*0451408**	18200	TDR&TXV	14.5			12
	EA*4X24*14A*	*8MV*0701412**	17800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	EA*4X24*14A*		17900	TXV		13.2		11
	EA*4X24*17A*	*8MX*0451408**	18200	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0701412**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0901716**	17900	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0401410A**	18000	TDR&TXV	14.2			11.8
	EA*4X24*17A*	*9MV*0601714A**	18200	TDR&TXV	15			12.4
	EA*4X24*17A*	*9MV*0801716A**	18300	TDR&TXV	15			12.5
	EA*4X24*17A*	*9MA*0601714A**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	EA*4X24*17A*		17900	TXV		13.2		11
	ED*4X18B**	*8MX*0451408**	17800	TDR&TXV	14.5			12
	ED*4X18B**	*8MV*0701412**	17500	TDR&TXV	14.5			12
	ED*4X18B**	*9MX*0401410A**	17400	TDR&TXV	14.2			11.8
	ED*4X18B**	*9MV*0401410A**	17500	TDR&TXV	14			11.5
	ED*4X18B**	*8MPV050	18000	TDR&TXV	14			12
	ED*4X18B**	MV08B15**B*	17200	TDR&TXV	14.5			12.2
	ED*4X24B**	*8MX*0451408**	18000	TDR&TXV	14.5			12.2

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35° C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A318AKB	ED*4X24B**	*8MV*0701412**	17800	TDR&TXV	14.5		12.2
	ED*4X24B**	*9MX*0401410A**	17800	TDR&TXV	14.5		12
	ED*4X24B**	*9MV*0401410A**	17900	TDR&TXV	14.2		11.8
	ED*4X24B**		17200	TXV		13	10.9
	ED*4X24B**	*8MPV050	18400	TDR&TXV	14.5		12.2
	ED*4X24B**	MV08B15**B*	17200	TDR&TXV	14.5		12.2
	ED*4X24F**	*8MV*0901716**	17800	TDR&TXV	14.5		12.2
	ED*4X24F**	*9MV*0601714A**	18200	TDR&TXV	15		12.4
	ED*4X24F**	*9MV*0801716A**	18300	TDR&TXV	15		12.5
	ED*4X24F**	*9MV*0802120A**	18600	TDR&TXV	15		12.5
	ED*4X24F**	*9MV*1002120A**	18700	TDR&TXV	15		12.5
	ED*4X24F**	*9MA*0601714A**	17900	TDR&TXV	14.5		12
	ED*4X24F**	*9MA*0801714A**	17800	TDR&TXV	14.5		12
	ED*4X24F**	*9MA*0602120A**	17900	TDR&TXV	14.5		12
	ED*4X24F**	*9MVX040	18600	TDR&TXV	14.5		12.2
	ED*4X24F**	*9MVX060	18600	TDR&TXV	14.5		12.2
	ED*4X24F**	*9MV*1002116A**	18400	TDR&TXV	15		12.5
	ED*4X24F**	OLV098A12A	18000	TDR&TXV	14.5		12.2
	ED*4X24F**	OMV098J12A	18000	TDR&TXV	14.5		12.2
	ED*4X24F**		17200	TXV		13	10.9
	ED*4X24F**	*9MPV050	18400	TDR&TXV	14.5		12.2
	ED*4X24F**	*9MPV075	18500	TDR&TXV	14.5		12.2
	EHD4X24A**	*9MX*0401410A**	17800	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*0401410A**	18000	TDR&TXV	14.2		11.8
	EHD4X24A**	*9MV*0601714A**	18000	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*0801716A**	18100	TDR&TXV	15		12.4
	EHD4X24A**	*9MV*0802120A**	18300	TDR&TXV	15		12.5
	EHD4X24A**	*9MV*1002120A**	18400	TDR&TXV	15		12.5
	EHD4X24A**	*9MV*1202422A**	18400	TDR&TXV	15		12.5
	EHD4X24A**	*9MA*0601714A**	18000	TDR&TXV	14.5		12
	EHD4X24A**	*9MA*0801714A**	17900	TDR&TXV	14.5		12
	EHD4X24A**	*9MA*0602120A**	18100	TDR&TXV	14.5		12
	EHD4X24A**	*9MVX040	18600	TDR&TXV	14		12
	EHD4X24A**	*9MVX060	18600	TDR&TXV	14.5		12.2
	EHD4X24A**	*9MV*1002116A**	18300	TDR&TXV	15		12.4
	EHD4X24A**	OLV098A12A	18000	TDR&TXV	14.5		12.2
	EHD4X24A**	OMV098J12A	18000	TDR&TXV	14.5		12.2
	EHD4X24A**		17200	TXV		13	10.9
	EHD4X24A**	*8MPV050	17200	TDR&TXV	14.5		12.2
	EHD4X24A**	*9MPV050	17200	TDR&TXV	14.5		12.2
EHD4X24A**	*9MPV075	17200	TDR&TXV	14		12	
EHD4X24A**	MV08B15**B*	17200	TDR&TXV	14.5		12.2	
EMA4X24D**		17200	TXV		13	10.9	
EN(A,D)4X18*14**	*8MX*0451408**	17800	TDR&TXV	14.5		12	
EN(A,D)4X18*14**	*8MV*0701412**	17500	TDR&TXV	14.5		12	
EN(A,D)4X18*14**	*9MX*0401410A**	17500	TDR&TXV	14.2		11.8	
EN(A,D)4X18*14**	*9MV*0401410A**	17600	TDR&TXV	14.2		11.8	
EN(A,D)4X18*14**		17600	TXV		13	11	
EN(A,D)4X19*17**	*8MX*0451408**	18000	TDR&TXV	14.5		12	
EN(A,D)4X19*17**	*8MV*0701412**	18000	TDR&TXV	14.5		12	
EN(A,D)4X19*17**	*8MV*0901716**	18000	TDR&TXV	14.5		12	
EN(A,D)4X19*17**	*9MX*0401410A**	17900	TDR&TXV	14.5		12	
EN(A,D)4X19*17**	*9MV*0401410A**	18100	TDR&TXV	14.5		12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318AKB	EN(A,D)4X19*17**	*9MV*0601714A**	18400	TDR&TXV	15			12.5
	EN(A,D)4X19*17**	*9MV*0801716A**	18500	TDR&TXV	15.2			12.5
	EN(A,D)4X19*17**	*9MA*0601714A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**	*9MA*0801714A**	17900	TDR&TXV	15			12.4
	EN(A,D)4X19*17**	*9MVX040	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**	OLV098A12A	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**	*9MPV050	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X19*17**		18000	TXV		13		11
	EN(A,D)4X19*17**	*8MPV050	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*14**	*8MX*0451408**	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X24*14**	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	EN(A,D)4X24*14**	*9MX*0401410A**	17700	TDR&TXV	14.2			11.8
	EN(A,D)4X24*14**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	EN(A,D)4X24*14**		17900	TXV		13.2		11
	EN(A,D)4X24*17**	*8MV*0901716**	17800	TDR&TXV	14.5			12.2
	EN(A,D)4X24*17**	*9MX*0401410A**	17700	TDR&TXV	14.2			11.8
	EN(A,D)4X24*17**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	EN(A,D)4X24*17**	*9MV*0601714A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MV*0801716A**	18100	TDR&TXV	15			12.4
	EN(A,D)4X24*17**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MVX040	18000	TDR&TXV	14			12
	EN(A,D)4X24*17**	OLV098A12A	17800	TDR&TXV	14.5			12.2
	EN(A,D)4X24*17**	OMV098J12A	18000	TDR&TXV	14.5			12.2
	EN(A,D)4X24*17**		17900	TXV		13.2		11
	EN(A,D)4X24*17**	*9MPV050	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*8MX*0451408**	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	*8MV*0901716**	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	*9MX*0401410A**	17700	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MV*0401410A**	17900	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MV*0601714A**	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*0801716A**	18100	TDR&TXV	15			12.4
	ENH4X24*17**	*9MV*1202422A**	18300	TDR&TXV	15			12.5
	ENH4X24*17**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	ENH4X24*17**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MVX040	18000	TDR&TXV	14			12
	ENH4X24*17**	*9MVX060	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*1002116A**	18300	TDR&TXV	15			12.4
	ENH4X24*17**	OLV098A12A	17800	TDR&TXV	14.5			12.2
	ENH4X24*17**	OMV098J12A	18000	TDR&TXV	14.5			12.2
ENH4X24*17**		17900	TXV		13.2		11	
ENH4X24*17**	*9MPV050	18000	TDR&TXV	14.5			12	
ENH4X24*17**	*9MPV075	18000	TDR&TXV	14.5			12	

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324AKB	*ED*4X24B**		23000	TXV		13		11
	FEA4X24**A*		23200	TDR&TXV	14			11.7
	FEA4X30**A*		23400	TDR&TXV	13.5			11.7
	FEM4P24**A*		22800	TDR	13.5			11
	FEM4P24**A*		22800	TDR			14	11.5
	FEM4P30**A*		23600	TDR	14			12
	FEM4P30**A*		23400	TDR			14.5	12
	FEM4X24****		23000	TDR&TXV	14			11.7
	FEM4X30****		23000	TDR&TXV	14.5			12
	FS(M,U)4P24**A*		23400	TDR	13.5			11.5
	FS(M,U)4P24**A*		23400	TDR			13.5	11.5
	FS(M,U)4P30**A*		23600	TDR	13.5			11
	FS(M,U)4P30**A*		23400	TDR			13.5	11
	FS(M,U)4X24****		22800	TDR&TXV	13			11
	FS(M,U)4X30****		23000	TDR&TXV	13			11
	FSA4X24**A*		22600	TDR&TXV	13			10.9
	FSA4X30**A*		23000	TDR&TXV	13			10.9
	FVM4X24****		22600	TDR&TXV	14			12
	FVM4X36****		23000	TDR&TXV	14.5			12.2
	FXM4X24**A*		23200	TDR&TXV	14.5			12
	FXM4X30**A*		23400	TDR&TXV	14			11.5
	FXM4X36**A*		23600	TDR&TXV	14.5			12
	EA*4X24*14A*	*8MX*0451408**	23000	TDR&TXV	14.5			12
	EA*4X24*14A*	*8MV*0701412**	22800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	EA*4X24*14A*	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	EA*4X24*14A*		23000	TXV		13		11
	EA*4X24*17A*	*8MX*0451408**	23200	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0701412**	22800	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0901716**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	EA*4X24*17A*	*9MX*0601714A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	EA*4X24*17A*	*9MV*0601714A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0601714A**	23000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	EA*4X24*17A*		23000	TXV		13		11
	EA*4X30*14A*	*8MX*0451408**	23400	TDR&TXV	14.5			12
	EA*4X30*14A*	*8MV*0701412**	23000	TDR&TXV	14.5			12
	EA*4X30*14A*	*9MX*0401410A**	23200	TDR&TXV	13.5			11.2
	EA*4X30*14A*	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	EA*4X30*14A*		23200	TXV		13		11
	EA*4X30*17A*	*8MX*0451408**	23400	TDR&TXV	14.5			12
	EA*4X30*17A*	*8MV*0701412**	23000	TDR&TXV	14.5			12
EA*4X30*17A*	*8MV*0901716**	23200	TDR&TXV	14.5			12	
EA*4X30*17A*	*9MX*0401410A**	23400	TDR&TXV	13.5			11.2	
EA*4X30*17A*	*9MX*0601714A**	23200	TDR&TXV	14.5			12	
EA*4X30*17A*	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324AKB	EA*4X30*17A*	*9MV*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MV*0801716A**	23400	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	EA*4X30*17A*		23200	TXV		13		11
	EA*4X36*17A*		23200	TXV		13		11
	EA*4X36*21A*	*9MV*0802120A**	23800	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MV*1002120A**	24000	TDR&TXV	15			12.2
	EA*4X36*21A*	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0801714A**	23200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0802120A**	23600	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MA*1002122A**	23600	TDR&TXV	15			12.2
	EA*4X36*21A*	*9MA*0602120A**	23400	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	EA*4X36*21A*		23400	TXV		13		11
	ED*4X24B**	*8MX*0451408**	23000	TDR&TXV	14			11.7
	ED*4X24B**	*8MV*0701412**	22800	TDR&TXV	14			12
	ED*4X24B**	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	ED*4X24B**	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	ED*4X24B**	*8MPV050	23000	TDR&TXV	13.5			11.5
	ED*4X24B**	MV08B15**B*	23000	TDR&TXV	14.5			12.2
	ED*4X24F**	*8MV*0901716**	23000	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MX*0601714A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0601714A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0802120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*1002120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0601714A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0802120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*1002122A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0602120A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MVX040	23200	TDR&TXV	14			11.7
	ED*4X24F**	*9MVX060	23400	TDR&TXV	14			11.7
	ED*4X24F**	*9MV*1002116A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*1002120A**	23200	TDR&TXV	14.5			12
	ED*4X24F**	OLV098A12A	23200	TDR&TXV	14			12
	ED*4X24F**	OMV098J12A	23200	TDR&TXV	14			11.7
	ED*4X24F**	OMV112K14A	23000	TDR&TXV	14.5			12
	ED*4X24F**		23000	TXV		13		11
	ED*4X24F**	*8MPV075	23000	TDR&TXV	14			12
	ED*4X24F**	*9MPV050	23000	TDR&TXV	14			11.7
ED*4X24F**	*9MPV075	23000	TDR&TXV	14			11.7	
ED*4X24F**	MV12F19**B*	23000	TDR&TXV	14.5			12.2	
ED*4X30B**	*8MX*0451408**	23400	TDR&TXV	14			12	
ED*4X30B**	*8MV*0701412**	23000	TDR&TXV	14.5			12	
ED*4X30B**	*9MX*0401410A**	23200	TDR&TXV	13.5			11.2	
ED*4X30B**	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4	
ED*4X30B**		23000	TXV		13		11	
ED*4X30B**	*8MPV050	23000	TDR&TXV	13.5			11.7	
ED*4X30B**	MV08B15**B*	23000	TDR&TXV	14.5			12.2	
ED*4X30F**	*8MV*0901716**	23200	TDR&TXV	14.5			12.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A324AKB	ED*4X30F**	*9MX*0601714A**	23200	TDR&TXV	14.5		12
	ED*4X30F**	*9MV*0601714A**	23200	TDR&TXV	14.5		12
	ED*4X30F**	*9MV*0801716A**	23400	TDR&TXV	14.5		12
	ED*4X30F**	*9MV*0802120A**	23400	TDR&TXV	14.5		12
	ED*4X30F**	*9MV*1002120A**	23600	TDR&TXV	14.5		12.2
	ED*4X30F**	*9MA*0601714A**	23200	TDR&TXV	14.5		12
	ED*4X30F**	*9MA*0801714A**	23000	TDR&TXV	14.5		12
	ED*4X30F**	*9MA*0802120A**	23400	TDR&TXV	14.5		12
	ED*4X30F**	*9MA*1002122A**	23400	TDR&TXV	14.5		12.2
	ED*4X30F**	*9MA*0602120A**	23200	TDR&TXV	14.5		12
	ED*4X30F**	*9MVX040	23400	TDR&TXV	14		12
	ED*4X30F**	*9MVX060	23600	TDR&TXV	14		12
	ED*4X30F**	*9MV*1002116A**	23200	TDR&TXV	14.5		12
	ED*4X30F**	*9MA*1002120A**	23400	TDR&TXV	14.5		12
	ED*4X30F**	OLV098A12A	23400	TDR&TXV	14.5		12
	ED*4X30F**	OMV098J12A	23400	TDR&TXV	14		12
	ED*4X30F**	OMV112K14A	23200	TDR&TXV	14.5		12.2
	ED*4X30F**		23000	TXV		13	11
	ED*4X30F**	*8MPV075	23000	TDR&TXV	14		12
	ED*4X30F**	*9MPV050	23000	TDR&TXV	14		12
	ED*4X30F**	*9MPV075	23000	TDR&TXV	14		11.7
	ED*4X30F**	MV12F19**B*	23000	TDR&TXV	14.5		12.2
	ED*4X36F**	*8MX*0451408**	23400	TDR&TXV	14.5		12.2
	ED*4X36F**	*9MV*0802120A**	23600	TDR&TXV	14.5		12.2
	ED*4X36F**	*9MV*1002120A**	23800	TDR&TXV	14.5		12.2
	ED*4X36F**	*9MA*0802120A**	23400	TDR&TXV	14.5		12.2
	ED*4X36F**	*9MA*1002122A**	23600	TDR&TXV	14.5		12.2
	ED*4X36F**	*9MA*0602120A**	23400	TDR&TXV	14.5		12
	ED*4X36F**	*8MPV075	23800	TDR&TXV	14.5		12.2
	EHD4X24A**	*9MX*0401410A**	23200	TDR&TXV	13.5		11.2
	EHD4X24A**	*9MX*0601714A**	23000	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*0401410A**	23000	TDR&TXV	13.7		11.4
	EHD4X24A**	*9MV*0601714A**	23000	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*0801716A**	23000	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*0802120A**	22800	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*1002120A**	23000	TDR&TXV	14.5		12
	EHD4X24A**	*9MV*1202422A**	23000	TDR&TXV	14.5		12
	EHD4X24A**	*9MA*0601714A**	23200	TDR&TXV	14.2		11.8
	EHD4X24A**	*9MA*0801714A**	23000	TDR&TXV	14.5		12
	EHD4X24A**	*9MA*0802120A**	23400	TDR&TXV	14.5		12
EHD4X24A**	*9MA*1002122A**	23400	TDR&TXV	14.5		12	
EHD4X24A**	*9MA*1202422A**	23400	TDR&TXV	14.5		12	
EHD4X24A**	*9MA*0602120A**	23200	TDR&TXV	14.5		12	
EHD4X24A**	*9MVX040	23200	TDR&TXV	14		11.7	
EHD4X24A**	*9MVX060	23400	TDR&TXV	14		11.7	
EHD4X24A**	*9MVX080	23600	TDR&TXV	14		12	
EHD4X24A**	*9MVX100	23600	TDR&TXV	14		12	
EHD4X24A**	*9MV*1002116A**	22800	TDR&TXV	14.5		12	
EHD4X24A**	*9MA*1002120A**	23400	TDR&TXV	14.5		12	
EHD4X24A**	OLV098A12A	23400	TDR&TXV	14		11.7	
EHD4X24A**	OMV098J12A	23400	TDR&TXV	14		11.7	
EHD4X24A**	OMV112K14A	23200	TDR&TXV	14.5		12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35° C)						
			Capacity	Factory Installed	SEER			EER	
Standard	W/ Field TDR	W/ Field TXV							
N4A324AKB	EHD4X24A**		23000	TXV			13		11
	EHD4X24A**	*8MPV050	23000	TDR&TXV	13.5				11.5
	EHD4X24A**	*8MPV075	23000	TDR&TXV	14				11.7
	EHD4X24A**	*8MPV100	23000	TDR&TXV	14				12
	EHD4X24A**	*8MPV125	23000	TDR&TXV	14				12
	EHD4X24A**	*9MPV050	23000	TDR&TXV	13.5				11.7
	EHD4X24A**	*9MPV075	23000	TDR&TXV	13.5				11.7
	EHD4X24A**	*9MPV100	23000	TDR&TXV	13.5				11.5
	EHD4X24A**	*9MPV125	23000	TDR&TXV	14				12
	EHD4X24A**	MV08B15**B*	23000	TDR&TXV	14.5				12.2
	EHD4X24A**	MV12F19**B*	23000	TDR&TXV	14.5				12.2
	EHD4X30A**	*9MX*0401410A**	23400	TDR&TXV	13.5				11.2
	EHD4X30A**	*9MX*0601714A**	23200	TDR&TXV	14.5				12
	EHD4X30A**	*9MV*0401410A**	23200	TDR&TXV	13.7				11.4
	EHD4X30A**	*9MV*0601714A**	23200	TDR&TXV	14.5				12
	EHD4X30A**	*9MV*0801716A**	23400	TDR&TXV	14.5				12
	EHD4X30A**	*9MV*0802120A**	23400	TDR&TXV	14.5				12
	EHD4X30A**	*9MV*1002120A**	23400	TDR&TXV	14.5				12.2
	EHD4X30A**	*9MV*1202422A**	23400	TDR&TXV	14.5				12
	EHD4X30A**	*9MA*0601714A**	23200	TDR&TXV	14.5				12
	EHD4X30A**	*9MA*0801714A**	23200	TDR&TXV	14.5				12
	EHD4X30A**	*9MA*0802120A**	23600	TDR&TXV	14.5				12.2
	EHD4X30A**	*9MA*1002122A**	23600	TDR&TXV	14.5				12.2
	EHD4X30A**	*9MA*1202422A**	23400	TDR&TXV	14.5				12
	EHD4X30A**	*9MA*0602120A**	23400	TDR&TXV	14.5				12
	EHD4X30A**	*9MVX040	23400	TDR&TXV	14				11.7
	EHD4X30A**	*9MVX060	23600	TDR&TXV	14				12
	EHD4X30A**	*9MVX080	24000	TDR&TXV	14				12
	EHD4X30A**	*9MVX100	23800	TDR&TXV	14.5				12.2
	EHD4X30A**	*9MV*1002116A**	23200	TDR&TXV	14.5				12
	EHD4X30A**	*9MA*1002120A**	23400	TDR&TXV	14.5				12
	EHD4X30A**	OLV098A12A	23400	TDR&TXV	14.5				12
	EHD4X30A**	OMV098J12A	23400	TDR&TXV	14				12
	EHD4X30A**	OMV112K14A	23400	TDR&TXV	14.5				12.2
	EHD4X30A**		23000	TXV			13		11
	EHD4X30A**	*8MPV050	23000	TDR&TXV	13.5				11.7
	EHD4X30A**	*8MPV075	23000	TDR&TXV	14				12
	EHD4X30A**	*8MPV100	23000	TDR&TXV	14.5				12.2
	EHD4X30A**	*8MPV125	23000	TDR&TXV	14.5				12.2
	EHD4X30A**	*9MPV050	23000	TDR&TXV	14				11.7
	EHD4X30A**	*9MPV075	23000	TDR&TXV	14				11.7
	EHD4X30A**	*9MPV100	23000	TDR&TXV	14				12
	EHD4X30A**	*9MPV125	23000	TDR&TXV	14				12
	EHD4X30A**	MV08B15**B*	23000	TDR&TXV	14.5				12.2
	EHD4X30A**	MV12F19**B*	23000	TDR&TXV	14.5				12.2
	EHD4X36A**	*9MVX080	24400	TDR&TXV	14.5				12.2
	EHD4X36A**	*8MPV075	23800	TDR&TXV	14.5				12.2
	EMA4X24D**		23000	TXV			13		11
	EN(A,D)4X24*14**	*8MX*0451408**	23000	TDR&TXV	14				11.7
	EN(A,D)4X24*14**	*8MV*0701412**	22800	TDR&TXV	14				11.7
	EN(A,D)4X24*14**	*9MX*0401410A**	23000	TDR&TXV	13.3				11
	EN(A,D)4X24*14**	*9MV*0401410A**	22800	TDR&TXV	13.7				11.4

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			EER	
Standard	W/ Field TDR	W/ Field TXV							
N4A324AKB	EN(A,D)4X24*14**		23000	TXV			13		11
	EN(A,D)4X24*17**	*8MV*0901716**	22800	TDR&TXV	14				12
	EN(A,D)4X24*17**	*9MX*0401410A**	23000	TDR&TXV	13.3				11
	EN(A,D)4X24*17**	*9MX*0601714A**	22800	TDR&TXV	14.5				12
	EN(A,D)4X24*17**	*9MV*0401410A**	22800	TDR&TXV	13.7				11.4
	EN(A,D)4X24*17**	*9MV*0601714A**	22800	TDR&TXV	14.2				11.8
	EN(A,D)4X24*17**	*9MV*0801716A**	22800	TDR&TXV	14.5				12
	EN(A,D)4X24*17**	*9MA*0601714A**	22800	TDR&TXV	14.2				11.8
	EN(A,D)4X24*17**	*9MA*0801714A**	22800	TDR&TXV	14.5				12
	EN(A,D)4X24*17**	*9MVX040	23000	TDR&TXV	13.5				11.5
	EN(A,D)4X24*17**	OLV098A12A	23000	TDR&TXV	14				11.7
	EN(A,D)4X24*17**	OMV098J12A	23000	TDR&TXV	14				11.7
	EN(A,D)4X24*17**	OMV112K14A	23000	TDR&TXV	14				11.7
	EN(A,D)4X24*17**		23000	TXV			13		11
	EN(A,D)4X24*17**	*9MPV050	23000	TDR&TXV	13.5				11.5
	EN(A,D)4X30*14**	*8MX*0451408**	23200	TDR&TXV	14				12
	EN(A,D)4X30*14**	*8MV*0701412**	23000	TDR&TXV	14.5				12
	EN(A,D)4X30*14**	*9MX*0401410A**	23200	TDR&TXV	13.5				11.2
	EN(A,D)4X30*14**	*9MV*0401410A**	23000	TDR&TXV	13.7				11.4
	EN(A,D)4X30*14**		23200	TXV			13		11
	EN(A,D)4X30*17**	*8MV*0901716**	23200	TDR&TXV	14.5				12.2
	EN(A,D)4X30*17**	*9MX*0401410A**	23400	TDR&TXV	13.5				11.2
	EN(A,D)4X30*17**	*9MX*0601714A**	23200	TDR&TXV	14.5				12
	EN(A,D)4X30*17**	*9MV*0401410A**	23000	TDR&TXV	13.7				11.4
	EN(A,D)4X30*17**	*9MV*0601714A**	23200	TDR&TXV	14.5				12
	EN(A,D)4X30*17**	*9MV*0801716A**	23400	TDR&TXV	14.5				12
	EN(A,D)4X30*17**	*9MA*0601714A**	23200	TDR&TXV	14.5				12
	EN(A,D)4X30*17**	*9MA*0801714A**	23000	TDR&TXV	14.5				12
	EN(A,D)4X30*17**	*9MVX040	23400	TDR&TXV	14				11.7
	EN(A,D)4X30*17**	*9MVX060	23600	TDR&TXV	14				11.7
	EN(A,D)4X30*17**	OLV098A12A	23400	TDR&TXV	14.5				12
	EN(A,D)4X30*17**	OMV098J12A	23400	TDR&TXV	14				12
	EN(A,D)4X30*17**	OMV112K14A	23200	TDR&TXV	14.5				12.2
	EN(A,D)4X30*17**		23200	TXV			13		11
	EN(A,D)4X30*17**	*9MPV050	23400	TDR&TXV	14				11.7
	EN(A,D)4X30*17**	*9MPV075	23600	TDR&TXV	14				11.7
	EN(A,D)4X31*17**	*8MX*0451408**	23400	TDR&TXV	14.5				12
	EN(A,D)4X31*17**	*8MV*0701412**	23400	TDR&TXV	14.5				12
	EN(A,D)4X31*17**	*8MV*0901716**	23400	TDR&TXV	14.5				12
	EN(A,D)4X31*17**	*9MX*0401410A**	23800	TDR&TXV	13.7				11.4
	EN(A,D)4X31*17**	*9MX*0601714A**	23800	TDR&TXV	15				12.5
	EN(A,D)4X31*17**	*9MV*0401410A**	23600	TDR&TXV	14				11.5
	EN(A,D)4X31*17**	*9MV*0601714A**	23600	TDR&TXV	14.5				12
	EN(A,D)4X31*17**	*9MV*0801716A**	23800	TDR&TXV	15				12.5
	EN(A,D)4X31*17**	*9MA*0601714A**	23600	TDR&TXV	14.5				12
	EN(A,D)4X31*17**	*9MA*0801714A**	23400	TDR&TXV	15				12.4
	EN(A,D)4X31*17**	*9MVX040	23800	TDR&TXV	14				12
	EN(A,D)4X31*17**	*9MVX060	24000	TDR&TXV	14.5				12
	EN(A,D)4X31*17**	OLV098A12A	23600	TDR&TXV	14.5				12.2
	EN(A,D)4X31*17**	OMV098J12A	23800	TDR&TXV	14.5				12.2
	EN(A,D)4X31*17**	OMV112K14A	23600	TDR&TXV	14.5				12.2
	EN(A,D)4X31*17**	*9MPV050	23800	TDR&TXV	14.5				12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324AKB	EN(A,D)4X31*17**	*9MPV075	24000	TDR&TXV	14			12
	EN(A,D)4X31*17**		23400	TXV		13		11
	EN(A,D)4X31*17**	*8MPV050	23400	TDR&TXV	14			12
	EN(A,D)4X31*17**	*8MPV075	23400	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MV*0802120A**	23400	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MV*1002120A**	23600	TDR&TXV	14.5			12.2
	EN(A,D)4X36*21**	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0802120A**	23400	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*1002122A**	23400	TDR&TXV	14.5			12.2
	EN(A,D)4X36*21**	*9MA*0602120A**	23200	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MX*0451408**	23400	TDR&TXV	14.5			12.2
	EN(A,D,W)4X36*17**		23200	TXV		13		11
	ENH4X24*17**	*8MX*0451408**	23000	TDR&TXV	14			11.7
	ENH4X24*17**	*8MV*0701412**	22800	TDR&TXV	14			11.7
	ENH4X24*17**	*8MV*0901716**	22800	TDR&TXV	14			12
	ENH4X24*17**	*8MV*1102120**	22800	TDR&TXV	14			11.7
	ENH4X24*17**	*8MV*1352422**	22800	TDR&TXV	14			12
	ENH4X24*17**	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	ENH4X24*17**	*9MX*0601714A**	22800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*0401410A**	22800	TDR&TXV	13.7			11.4
	ENH4X24*17**	*9MV*0601714A**	22800	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MV*0801716A**	22800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*1202422A**	22800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MA*0601714A**	22800	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MA*1202422A**	23000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MVX040	23000	TDR&TXV	13.5			11.5
	ENH4X24*17**	*9MVX060	23200	TDR&TXV	13.5			11.5
	ENH4X24*17**	*9MVX080	23400	TDR&TXV	14			11.7
	ENH4X24*17**	*9MVX100	23400	TDR&TXV	14			11.7
	ENH4X24*17**	*9MV*1002116A**	22600	TDR&TXV	14.5			12
	ENH4X24*17**	*9MA*1002120A**	23200	TDR&TXV	14.5			12
	ENH4X24*17**	OLV098A12A	23000	TDR&TXV	14			11.7
	ENH4X24*17**	OMV098J12A	23000	TDR&TXV	14			11.7
	ENH4X24*17**	OMV112K14A	23000	TDR&TXV	14			12
	ENH4X24*17**		23000	TXV		13		11
	ENH4X24*17**	*9MPV050	23000	TDR&TXV	13.5			11.7
	ENH4X24*17**	*9MPV075	23000	TDR&TXV	13.5			11.5
	ENH4X24*17**	*9MPV100	23200	TDR&TXV	14			11.7
	ENH4X24*17**	*9MPV125	23400	TDR&TXV	14			11.7
	ENH4X30*17**	*8MX*0451408**	23400	TDR&TXV	14			12
	ENH4X30*17**	*8MV*0701412**	23000	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*0901716**	23200	TDR&TXV	14.5			12.2
	ENH4X30*17**	*8MV*1102120**	23200	TDR&TXV	14.5			12.2
	ENH4X30*17**	*8MV*1352422**	23200	TDR&TXV	14.5			12.2
	ENH4X30*17**	*9MX*0401410A**	23400	TDR&TXV	13.5			11.2
	ENH4X30*17**	*9MX*0601714A**	23200	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*0401410A**	23000	TDR&TXV	13.7			11.4
	ENH4X30*17**	*9MV*0601714A**	23200	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*0801716A**	23400	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324AKB	ENH4X30*17**	*9MV*1202422A**	23400	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0601714A**	23200	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0801714A**	23000	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*1202422A**	23400	TDR&TXV	14.5			12
	ENH4X30*17**	*9MVX040	23600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MVX060	23600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MVX080	24000	TDR&TXV	14.5			12
	ENH4X30*17**	*9MVX100	23800	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*1002116A**	23200	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	ENH4X30*17**	OLV098A12A	23400	TDR&TXV	14.5			12
	ENH4X30*17**	OMV098J12A	23400	TDR&TXV	14			12
	ENH4X30*17**	OMV112K14A	23200	TDR&TXV	14.5			12.2
	ENH4X30*17**		23200	TXV		13		11
	ENH4X30*17**	*9MPV050	23400	TDR&TXV	14			11.7
	ENH4X30*17**	*9MPV075	23600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MPV100	23800	TDR&TXV	14			12
	ENH4X30*17**	*9MPV125	23800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MX*0451408**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0701412**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0901716**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1102120**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1352422**	23400	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0401410A**	23800	TDR&TXV	13.7			11.4
	ENH4X31*17**	*9MX*0601714A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MV*0401410A**	23600	TDR&TXV	14			11.5
	ENH4X31*17**	*9MV*0601714A**	23600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*0801716A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MV*1202422A**	24000	TDR&TXV	15.2			12.5
	ENH4X31*17**	*9MA*0601714A**	23600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*0801714A**	23400	TDR&TXV	15			12.5
	ENH4X31*17**	*9MA*1202422A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MVX040	23800	TDR&TXV	14			12
	ENH4X31*17**	*9MVX060	23800	TDR&TXV	14.5			12
	ENH4X31*17**	*9MVX080	24000	TDR&TXV	14.5			12.2
	ENH4X31*17**	*9MVX100	24000	TDR&TXV	14.5			12.2
	ENH4X31*17**	*9MV*1002116A**	23600	TDR&TXV	15			12.5
	ENH4X31*17**	*9MA*1002120A**	23800	TDR&TXV	15			12.5
	ENH4X31*17**	OLV098A12A	23600	TDR&TXV	14.5			12.2
	ENH4X31*17**	OMV098J12A	23600	TDR&TXV	14.5			12.2
ENH4X31*17**	OMV112K14A	23600	TDR&TXV	14.5			12.2	
ENH4X31*17**	*9MPV050	23800	TDR&TXV	14.5			12	
ENH4X31*17**	*9MPV075	23800	TDR&TXV	14.5			12	
ENH4X31*17**	*9MPV100	23800	TDR&TXV	14.5			12.2	
ENH4X31*17**	*9MPV125	24000	TDR&TXV	14.5			12.2	
ENH4X31*17**		23400	TXV		13		11	
ENH4X31*17**	*8MPV050	23400	TDR&TXV	14			12	

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	*ED*4X30B**		27200	TXV		13		10.8
	FEA4X30**A*		27600	TDR&TXV	13.5			11.7
	FEA4X36**A*		27800	TDR&TXV	13.5			11.5
	FEM4P30**A*		27400	TDR	13.5			11
	FEM4P30**A*		27400	TDR			14	11.5
	FEM4P36**A*		27400	TDR	13.5			11
	FEM4P36**A*		27400	TDR			14	11.5
	FEM4X30****		27200	TDR&TXV	14			11.5
	FEM4X36****		27200	TDR&TXV	14			11.5
	FS(M,U)4P30**A*		27600	TDR	13			11
	FS(M,U)4P30**A*		27600	TDR			13.5	11
	FS(M,U)4P36**A*		27600	TDR	13			11
	FS(M,U)4P36**A*		27600	TDR			13.5	11
	FS(M,U)4X30****		27000	TDR&TXV	13			10.8
	FSA4X36**A*		27200	TDR&TXV	13			10.8
	FSM4X36****		27200	TDR&TXV	13			10.8
	FVM4X24****		26800	TDR&TXV	13.5			11.7
	FVM4X36****		27200	TDR&TXV	14.5			12.2
	FVM4X48****		27200	TDR&TXV	14.5			12.2
	FXM4X30**A*		27800	TDR&TXV	14			11.5
	FXM4X36**A*		28000	TDR&TXV	14.5			12
	FXM4X42**A*		28200	TDR&TXV	13.5			11
	EA*4X30*14A*	*8MV*0701412**	27200	TDR&TXV	14			11.5
	EA*4X30*14A*		27400	TXV		13		10.9
	EA*4X30*17A*	*8MX*0701716**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*8MV*0701412**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*8MV*0901716**	27400	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MX*0601714A**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EA*4X30*17A*	*9MA*0601714A**	27200	TDR&TXV	14			11.5
	EA*4X30*17A*	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EA*4X30*17A*		27400	TXV		13		10.8
	EA*4X36*14A*	*8MV*0701412**	27400	TDR&TXV	14			11.5
	EA*4X36*14A*		27400	TXV		13		10.8
	EA*4X36*17A*	*8MX*0701716**	27600	TDR&TXV	14			11.5
	EA*4X36*17A*	*8MV*0701412**	27400	TDR&TXV	14			11.5
	EA*4X36*17A*	*8MV*0901716**	27400	TDR&TXV	14.5			12
	EA*4X36*17A*	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MX*0801716A**	27800	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MV*0601714A**	27400	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MV*0801716A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	EA*4X36*17A*		27600	TXV		13		10.8
	EA*4X36*21A*	*8MX*0701716**	27800	TDR&TXV	14			11.5
	EA*4X36*21A*	*8MX*0902116**	27800	TDR&TXV	14.5			12
	EA*4X36*21A*	*8MV*0901716**	27400	TDR&TXV	14.5			12

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	EA*4X36*21A*	*8MV*1102120**	27600	TDR&TXV	14.5		12	
	EA*4X36*21A*	*9MX*0601714A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MX*0801716A**	27800	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MV*0601714A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MV*0801716A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MV*0802120A**	27800	TDR&TXV	14.5		12	
	EA*4X36*21A*	*9MV*1002120A**	27600	TDR&TXV	14.5		12	
	EA*4X36*21A*	*9MA*0601714A**	27400	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MA*0801714A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MA*0802120A**	27600	TDR&TXV	14.5		12	
	EA*4X36*21A*	*9MA*1002122A**	27800	TDR&TXV	14.5		12	
	EA*4X36*21A*	*9MA*0602120A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MV*1002116A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*	*9MA*1002120A**	27600	TDR&TXV	14.2		11.8	
	EA*4X36*21A*		27600	TXV		13	10.8	
	EA*4X42*21A*	*9MV*0802120A**	27800	TDR&TXV	14.5		11.7	
	EA*4X42*21A*	*9MV*1002120A**	27800	TDR&TXV	14.5		11.7	
	EA*4X42*21A*	*9MA*0802120A**	27800	TDR&TXV	14.5		12	
	EA*4X42*21A*	*9MA*1002122A**	28000	TDR&TXV	14.5		12	
	EA*4X42*21A*	*9MA*0602120A**	27800	TDR&TXV	14		11.7	
	EA*4X42*21A*		27600	TXV		13	11	
	EA*4X42*24A*		27600	TXV		13	11	
	ED*4X30B**	*8MV*0701412**	27200	TDR&TXV	14		11.7	
	ED*4X30B**	*8MPV050	27200	TDR&TXV	13		11	
	ED*4X30B**	MV08B15**B*	27200	TDR&TXV	14		12	
	ED*4X30F**	*8MX*0701716**	27400	TDR&TXV	14		11.7	
	ED*4X30F**	*8MV*0901716**	27400	TDR&TXV	14		12	
	ED*4X30F**	*9MX*0601714A**	27400	TDR&TXV	14		11.5	
	ED*4X30F**	*9MX*0801716A**	27600	TDR&TXV	14		11.5	
	ED*4X30F**	*9MV*0601714A**	27400	TDR&TXV	14		11.5	
	ED*4X30F**	*9MV*0801716A**	27400	TDR&TXV	14.2		11.8	
	ED*4X30F**	*9MV*0802120A**	27400	TDR&TXV	14.5		12	
	ED*4X30F**	*9MV*1002120A**	27200	TDR&TXV	14.5		12	
	ED*4X30F**	*9MA*0601714A**	27200	TDR&TXV	14		11.5	
	ED*4X30F**	*9MA*0801714A**	27400	TDR&TXV	14.2		11.8	
	ED*4X30F**	*9MA*0802120A**	27400	TDR&TXV	14		11.5	
ED*4X30F**	*9MA*1002122A**	27600	TDR&TXV	14.5		12		
ED*4X30F**	*9MA*0602120A**	27400	TDR&TXV	14		11.5		
ED*4X30F**	*9MVX040	27400	TDR&TXV	13.5		11.2		
ED*4X30F**	*9MVX060	27600	TDR&TXV	13.5		11.2		
ED*4X30F**	*9MV*1002116A**	27400	TDR&TXV	14.2		11.8		
ED*4X30F**	*9MA*1002120A**	27600	TDR&TXV	14.2		11.8		
ED*4X30F**	OLV098A12A	27400	TDR&TXV	14		11.5		
ED*4X30F**	OLV112A16A	27600	TDR&TXV	14		11.5		
ED*4X30F**	OMV098J12A	27400	TDR&TXV	13.5		11		
ED*4X30F**	OMV112K14A	27600	TDR&TXV	14		11.7		
ED*4X30F**		27200	TXV		13	10.8		
ED*4X30F**	*8MPV075	27200	TDR&TXV	14		11.7		
ED*4X30F**	*9MPV050	27200	TDR&TXV	13.5		11.2		
ED*4X30F**	*9MPV075	27200	TDR&TXV	13.5		11.2		
ED*4X30F**	MV12F19**B*	27200	TDR&TXV	14.5		12.2		
ED*4X36B**	*8MV*0701412**	27400	TDR&TXV	14		11.7		
ED*4X36B**		27200	TXV		13	10.8		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC	ED*4X36B**	*8MPV050	27200	TDR&TXV	13			11
	ED*4X36B**	MV08B15**B*	27200	TDR&TXV	14			12
	ED*4X36F**	*8MX*0701716**	27600	TDR&TXV	14			11.7
	ED*4X36F**	*8MV*0901716**	27400	TDR&TXV	14.5			12
	ED*4X36F**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	ED*4X36F**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	ED*4X36F**	*9MX*0801716A**	27800	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MX*0801716A**	27800	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MV*0601714A**	27400	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MV*0801716A**	27600	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MV*0802120A**	27600	TDR&TXV	14.5			12
	ED*4X36F**	*9MV*1002120A**	27400	TDR&TXV	14.5			12
	ED*4X36F**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MA*0802120A**	27600	TDR&TXV	14			11.7
	ED*4X36F**	*9MA*1002122A**	27800	TDR&TXV	14.5			12
	ED*4X36F**	*9MA*0602120A**	27600	TDR&TXV	14			11.5
	ED*4X36F**	*9MVX040	27400	TDR&TXV	13.5			11.2
	ED*4X36F**	*9MVX060	27600	TDR&TXV	13.5			11.5
	ED*4X36F**	*9MV*1002116A**	27600	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	ED*4X36F**	OLV098A12A	27400	TDR&TXV	14			11.5
	ED*4X36F**	OLV112A16A	27600	TDR&TXV	14			11.5
	ED*4X36F**	OMV098J12A	27400	TDR&TXV	13.5			11.5
	ED*4X36F**	OMV112K14A	27600	TDR&TXV	14			11.7
	ED*4X36F**		27200	TXV		13		10.8
	ED*4X36F**	*8MPV075	27200	TDR&TXV	14			11.7
	ED*4X36F**	*9MPV050	27200	TDR&TXV	13.5			11.2
	ED*4X36F**	*9MPV075	27200	TDR&TXV	13.5			11.5
	ED*4X36F**	MV12F19**B*	27200	TDR&TXV	14.5			12.2
	ED*4X36J**	*8MX*0902116**	27800	TDR&TXV	14			12
	ED*4X36J**	*8MV*1102120**	27600	TDR&TXV	14.5			12
	ED*4X36J**	*9MV*1002120A**	27600	TDR&TXV	14.5			12
	ED*4X36J**	*9MV*1202422A**	27800	TDR&TXV	14.5			12
	ED*4X36J**	*9MV*1202422A**	27800	TDR&TXV	14			11.7
	ED*4X36J**	*9MA*0802120A**	27600	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*1002122A**	27800	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*1202422A**	27600	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*0602120A**	27600	TDR&TXV	14			11.7
	ED*4X36J**	*9MVX080	28000	TDR&TXV	14			11.7
	ED*4X36J**	*9MV*1002116A**	27600	TDR&TXV	14.2			11.8
	ED*4X36J**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	ED*4X36J**	OLV112A16A	27800	TDR&TXV	14			11.7
	ED*4X36J**		27200	TXV		13		10.8
	ED*4X36J**	*8MPV100	27200	TDR&TXV	14			12
	ED*4X36J**	*8MPV125	27200	TDR&TXV	14			12
	ED*4X36J**	*9MPV100	27200	TDR&TXV	14			11.7
	ED*4X42F**	*9MV*0802120A**	27800	TDR&TXV	14.5			12
	ED*4X42F**	*9MV*1002120A**	27600	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC	ED*4X42F**	*9MA*0802120A**	27800	TDR&TXV	14.5			12
	ED*4X42F**	*9MA*1002122A**	27800	TDR&TXV	14.5			11.7
	ED*4X42F**	*9MA*0602120A**	27600	TDR&TXV	14			11.7
	ED*4X42J**	*9MVX080	27800	TDR&TXV	14.5			12
	EHD4X30A**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EHD4X30A**	*9MX*0801716A**	27800	TDR&TXV	14			11.5
	EHD4X30A**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EHD4X30A**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MV*0802120A**	27400	TDR&TXV	14			11.7
	EHD4X30A**	*9MV*1002120A**	27200	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MV*1202422A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EHD4X30A**	*9MA*0801714A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0802120A**	27600	TDR&TXV	14			11.7
	EHD4X30A**	*9MA*1002122A**	27800	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*1202422A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0602120A**	27600	TDR&TXV	14			11.5
	EHD4X30A**	*9MVX040	27400	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MVX060	27600	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MVX080	27800	TDR&TXV	14			11.7
	EHD4X30A**	*9MVX100	27600	TDR&TXV	14			11.7
	EHD4X30A**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	EHD4X30A**	OLV098A12A	27400	TDR&TXV	13.5			11
	EHD4X30A**	OLV112A16A	27800	TDR&TXV	13.5			11.5
	EHD4X30A**	OMV098J12A	27600	TDR&TXV	13.5			11
	EHD4X30A**	OMV112K14A	27600	TDR&TXV	14			11.5
	EHD4X30A**		27200	TXV		13		10.8
	EHD4X30A**	*8MPV050	27200	TDR&TXV	13			11
	EHD4X30A**	*8MPV075	27200	TDR&TXV	14			11.5
	EHD4X30A**	*8MPV100	27200	TDR&TXV	14			11.7
	EHD4X30A**	*8MPV125	27200	TDR&TXV	14			11.7
	EHD4X30A**	*9MPV050	27200	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MPV075	27200	TDR&TXV	13.5			11.2
	EHD4X30A**	*9MPV100	27200	TDR&TXV	14			11.7
	EHD4X30A**	*9MPV125	27200	TDR&TXV	14			11.7
	EHD4X30A**	MV08B15**B*	27200	TDR&TXV	14			12
	EHD4X30A**	MV12F19**B*	27200	TDR&TXV	14.5			12
	EHD4X36A**	*9MX*0601714A**	28000	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MX*0801716A**	28200	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MV*0601714A**	27800	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MV*0801716A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*0802120A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*1002120A**	27800	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*1202422A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0601714A**	27800	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MA*0801714A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0802120A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*1002122A**	28200	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*1202422A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0602120A**	28000	TDR&TXV	14.2			11.8
	EHD4X36A**	*9MVX040	27400	TDR&TXV	13.5			11.2

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	EHD4X36A**	*9MVX060	27600	TDR&TXV	13.5			11.5
	EHD4X36A**	*9MVX080	28000	TDR&TXV	14			11.7
	EHD4X36A**	*9MVX100	28200	TDR&TXV	14			12
	EHD4X36A**	*9MV*1002116A**	28000	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*1002120A**	28200	TDR&TXV	14.5			12
	EHD4X36A**	OLV098A12A	28000	TDR&TXV	14			11.7
	EHD4X36A**	OLV112A16A	28200	TDR&TXV	14			11.7
	EHD4X36A**	OMV098J12A	28000	TDR&TXV	14			11.5
	EHD4X36A**	OMV112K14A	28000	TDR&TXV	14.5			12
	EHD4X36A**		27200	TXV		13		10.8
	EHD4X36A**	*8MPV050	27200	TDR&TXV	13			11
	EHD4X36A**	*8MPV075	27200	TDR&TXV	14			11.7
	EHD4X36A**	*8MPV100	27200	TDR&TXV	14			12
	EHD4X36A**	*8MPV125	27200	TDR&TXV	14			12
	EHD4X36A**	*9MPV050	27200	TDR&TXV	13.5			11.5
	EHD4X36A**	*9MPV075	27200	TDR&TXV	13.5			11.5
	EHD4X36A**	*9MPV100	27200	TDR&TXV	14			11.7
	EHD4X36A**	*9MPV125	27200	TDR&TXV	14			12
	EHD4X36A**	MV08B15**B*	27200	TDR&TXV	14			12
	EHD4X36A**	MV12F19**B*	27200	TDR&TXV	14.5			12.2
	EHD4X42A**	*9MVX080	27800	TDR&TXV	14.5			12
	EMA4X36D**		27200	TXV		13		10.8
	EN(A,D)4X30*14**	*8MV*0701412**	27200	TDR&TXV	14			11.7
	EN(A,D)4X30*14**		27400	TXV		13		10.8
	EN(A,D)4X30*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	EN(A,D)4X30*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	EN(A,D)4X30*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EN(A,D)4X30*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	EN(A,D)4X30*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D)4X30*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X30*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D)4X30*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X30*17**	*9MVX040	27400	TDR&TXV	13.5			11
	EN(A,D)4X30*17**	*9MVX060	27600	TDR&TXV	13.5			11
	EN(A,D)4X30*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	EN(A,D)4X30*17**	OMV098J12A	27400	TDR&TXV	13.5			11
	EN(A,D)4X30*17**	OMV112K14A	27600	TDR&TXV	14			11.7
	EN(A,D)4X30*17**		27400	TXV		13		10.9
	EN(A,D)4X30*17**	*9MPV050	27400	TDR&TXV	13.5			11
	EN(A,D)4X30*17**	*9MPV075	27400	TDR&TXV	13.5			11
	EN(A,D)4X31*17**	*8MX*0701716**	27800	TDR&TXV	14			11.5
	EN(A,D)4X31*17**	*8MV*0701412**	27800	TDR&TXV	14			12
	EN(A,D)4X31*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MX*0601714A**	28200	TDR&TXV	14.2			11.8
	EN(A,D)4X31*17**	*9MX*0801716A**	28400	TDR&TXV	14.2			11.8
	EN(A,D)4X31*17**	*9MV*0601714A**	28000	TDR&TXV	14.2			11.8
	EN(A,D)4X31*17**	*9MV*0801716A**	28000	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MA*0601714A**	27800	TDR&TXV	14.2			11.8
	EN(A,D)4X31*17**	*9MA*0801714A**	28000	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MVX040	28000	TDR&TXV	13.5			11.5
	EN(A,D)4X31*17**	*9MVX060	28200	TDR&TXV	14			11.5
	EN(A,D)4X31*17**	OLV098A12A	28000	TDR&TXV	14			11.7

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330AKC	EN(A,D)4X31*17**	OMV098J12A	28000	TDR&TXV	14			11.5
	EN(A,D)4X31*17**	OMV112K14A	28200	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MPV050	28000	TDR&TXV	13.5			11.5
	EN(A,D)4X31*17**	*9MPV075	28000	TDR&TXV	13.5			11.5
	EN(A,D)4X31*17**		27800	TXV		13		11
	EN(A,D)4X31*17**	*8MPV050	27800	TDR&TXV	13.5			11.2
	EN(A,D)4X31*17**	*8MPV075	28000	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*8MX*0902116**	27600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*8MV*1102120**	27400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MX*0801716A**	27800	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	*9MV*0802120A**	27400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MV*1002120A**	27200	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	*9MA*0802120A**	27600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MA*1002122A**	27600	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0602120A**	27400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*9MVX040	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MVX060	27600	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MVX080	27800	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	EN(A,D)4X36*21**	OLV112A16A	27600	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	OMV098J12A	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	OMV112K14A	27600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**		27400	TXV		13		10.8
	EN(A,D)4X36*21**	*9MPV050	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MPV075	27400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MPV100	27600	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*8MX*0701716**	27800	TDR&TXV	14			12
	EN(A,D)4X37*17**	*8MV*0701412**	27800	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0601714A**	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0801716A**	28600	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0601714A**	28200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0801716A**	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0601714A**	28200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0801714A**	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MVX040	28400	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*9MVX060	28600	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	OLV098A12A	28200	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	OMV098J12A	28200	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	OMV112K14A	28400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MPV050	28400	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*9MPV075	28400	TDR&TXV	14			11.7
	EN(A,D)4X37*17**		28000	TXV		13		11
	EN(A,D)4X37*17**	*8MPV050	27800	TDR&TXV	13.5			11.5
	EN(A,D)4X37*17**	*8MPV075	27800	TDR&TXV	14			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	EN(A,D,W)4X36*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	EN(A,D,W)4X36*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MVX040	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	*9MVX060	27600	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	EN(A,D,W)4X36*17**	OMV098J12A	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	OMV112K14A	27600	TDR&TXV	14			11.7
	EN(A,D,W)4X36*17**		27400	TXV		13		10.8
	EN(A,D,W)4X36*17**	*9MPV050	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	*9MPV075	27400	TDR&TXV	13.5			11
	EN(A,D,W)4X42*21**	*9MV*0802120A**	27800	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MV*1002120A**	27600	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*0802120A**	27800	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*1002122A**	28000	TDR&TXV	14.5			12
	EN(A,D,W)4X42*21**	*9MA*0602120A**	27800	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**		27600	TXV		13		11
	EN(A,D,W)4X48*21**	*8MX*0902116**	28400	TDR&TXV	14.5			12.2
	END4X42*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12.2
	END4X42*17**		27600	TXV		13		11
	ENH4X30*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	ENH4X30*17**	*8MX*0902116**	27600	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*0701412**	27200	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*1102120**	27400	TDR&TXV	14			11.7
	ENH4X30*17**	*8MV*1352422**	27400	TDR&TXV	14			12
	ENH4X30*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	ENH4X30*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	ENH4X30*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X30*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MV*1202422A**	27600	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X30*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MA*1202422A**	27600	TDR&TXV	14.2			11.8
	ENH4X30*17**	*9MVX040	27400	TDR&TXV	13.5			11
	ENH4X30*17**	*9MVX060	27600	TDR&TXV	13.5			11
	ENH4X30*17**	*9MVX080	27800	TDR&TXV	14			11.5
	ENH4X30*17**	*9MVX100	27600	TDR&TXV	14			11.7
	ENH4X30*17**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
ENH4X30*17**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8	
ENH4X30*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5	
ENH4X30*17**	OLV112A16A	27600	TDR&TXV	13.5			11.5	
ENH4X30*17**	OMV098J12A	27400	TDR&TXV	13.5			11	
ENH4X30*17**	OMV112K14A	27600	TDR&TXV	14			11.7	
ENH4X30*17**		27400	TXV		13		10.9	
ENH4X30*17**	*9MPV050	27400	TDR&TXV	13.5			11	
ENH4X30*17**	*9MPV075	27400	TDR&TXV	13.5			11	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	ENH4X30*17**	*9MPV100	27600	TDR&TXV	14			11.5
	ENH4X30*17**	*9MPV125	27600	TDR&TXV	14			11.7
	ENH4X31*17**	*8MX*0701716**	27800	TDR&TXV	14			11.5
	ENH4X31*17**	*8MX*0902116**	27800	TDR&TXV	14			12
	ENH4X31*17**	*8MV*0701412**	27800	TDR&TXV	14			12
	ENH4X31*17**	*8MV*0901716**	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1102120**	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1352422**	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0601714A**	28200	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MX*0801716A**	28400	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MV*0601714A**	28000	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MV*0801716A**	28000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*1202422A**	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*0601714A**	27800	TDR&TXV	14.2			11.8
	ENH4X31*17**	*9MA*0801714A**	28000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*1202422A**	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MVX040	28000	TDR&TXV	13.5			11.5
	ENH4X31*17**	*9MVX060	28200	TDR&TXV	14			11.5
	ENH4X31*17**	*9MVX080	28400	TDR&TXV	14			12
	ENH4X31*17**	*9MVX100	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*1002116A**	28000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*1002120A**	28200	TDR&TXV	14.5			12
	ENH4X31*17**	OLV098A12A	28000	TDR&TXV	14			11.7
	ENH4X31*17**	OLV112A16A	28200	TDR&TXV	14			12
	ENH4X31*17**	OMV098J12A	28000	TDR&TXV	14			11.5
	ENH4X31*17**	OMV112K14A	28200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MPV050	28000	TDR&TXV	13.5			11.5
	ENH4X31*17**	*9MPV075	28000	TDR&TXV	13.5			11.5
	ENH4X31*17**	*9MPV100	28400	TDR&TXV	14			12
	ENH4X31*17**	*9MPV125	28400	TDR&TXV	14.5			12
	ENH4X31*17**		27800	TXV		13		11
	ENH4X31*17**	*8MPV050	27800	TDR&TXV	13.5			11.2
	ENH4X31*17**	*8MPV075	27800	TDR&TXV	14			11.7
	ENH4X31*17**	*8MPV100	27800	TDR&TXV	14.5			12
	ENH4X31*17**	*8MPV125	27800	TDR&TXV	14.5			12
	ENH4X36*17**	*8MX*0701716**	27400	TDR&TXV	14			11.5
	ENH4X36*17**	*8MX*0902116**	27600	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*0701412**	27400	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*0901716**	27400	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*1102120**	27400	TDR&TXV	14			11.7
	ENH4X36*17**	*8MV*1352422**	27400	TDR&TXV	14			12
	ENH4X36*17**	*9MX*0601714A**	27600	TDR&TXV	14			11.5
	ENH4X36*17**	*9MX*0801716A**	27600	TDR&TXV	14			11.5
	ENH4X36*17**	*9MV*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X36*17**	*9MV*0801716A**	27400	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MV*1202422A**	27600	TDR&TXV	14.5			12
	ENH4X36*17**	*9MA*0601714A**	27400	TDR&TXV	14			11.5
	ENH4X36*17**	*9MA*0801714A**	27400	TDR&TXV	14.2			12
	ENH4X36*17**	*9MA*1202422A**	27600	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MVX040	27400	TDR&TXV	13.5			11
	ENH4X36*17**	*9MVX060	27600	TDR&TXV	13.5			11
	ENH4X36*17**	*9MVX080	27800	TDR&TXV	14			11.5

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330AKC	ENH4X36*17**	*9MVX100	27600	TDR&TXV	14			11.7
	ENH4X36*17**	*9MV*1002116A**	27400	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MA*1002120A**	27600	TDR&TXV	14.2			11.8
	ENH4X36*17**	OLV098A12A	27400	TDR&TXV	13.5			11.5
	ENH4X36*17**	OLV112A16A	27600	TDR&TXV	13.5			11.5
	ENH4X36*17**	OMV098J12A	27400	TDR&TXV	13.5			11
	ENH4X36*17**	OMV112K14A	27600	TDR&TXV	14			11.7
	ENH4X36*17**		27400	TXV		13		10.8
	ENH4X36*17**	*9MPV050	27400	TDR&TXV	13.5			11
	ENH4X36*17**	*9MPV075	27400	TDR&TXV	13.5			11
	ENH4X36*17**	*9MPV100	27600	TDR&TXV	14			11.5
	ENH4X36*17**	*9MPV125	27600	TDR&TXV	14			11.7

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	*ED*4X36F**		33800	TXV		13		10.9
	FEA4X36**A*		33600	TDR&TXV	13.5			11.7
	FEM4P36**A*		32600	TDR	13			11
	FEM4P36**A*		33600	TDR			13.5	11
	FEM4P42**A*		34000	TDR	13.5			11.5
	FEM4P42**A*		34600	TDR			14.5	12
	FEM4X36****		34600	TDR&TXV	14			11.7
	FEM4X42****		34800	TDR&TXV	14			11.7
	FS(M,U)4P36**A*		33000	TDR	13			11
	FS(M,U)4P36**A*		33000	TDR			13	11
	FS(M,U)4P42**A*		33800	TDR	13			11
	FS(M,U)4P42**A*		34200	TDR			13.5	11
	FS(M,U)4X42****		34200	TDR&TXV	13			11
	FSA4X36**A*		33600	TDR&TXV	13			10.7
	FSM4X36****		34200	TDR&TXV	13			11
	FVM4X36****		33600	TDR&TXV	14			12
	FVM4X48****		34800	TDR&TXV	14			12
	FVM4X60****		34800	TDR&TXV	14			12
	FXM4X36**A*		34000	TDR&TXV	14.5			12
	FXM4X42**A*		34000	TDR&TXV	14.5			12
	FXM4X48**A*		34200	TDR&TXV	14.5			12
	EA*4X36*14A*	*8MX*0451408**	33200	TDR&TXV	13.2			11
	EA*4X36*14A*	*8MV*0701412**	33200	TDR&TXV	13.7			11.3
	EA*4X36*14A*		32800	TXV		13		11
	EA*4X36*17A*	*8MX*0451408**	33400	TDR&TXV	13.2			11
	EA*4X36*17A*	*8MX*0701716**	33400	TDR&TXV	13.7			11.3
	EA*4X36*17A*	*8MV*0701412**	33200	TDR&TXV	13.7			11.5
	EA*4X36*17A*	*8MV*0901716**	33400	TDR&TXV	14			11.7
	EA*4X36*17A*	*9MX*0601714A**	33400	TDR&TXV	13.7			11.4
	EA*4X36*17A*	*9MX*0801716A**	33400	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MV*0601714A**	33200	TDR&TXV	13.7			11.4
	EA*4X36*17A*	*9MV*0801716A**	33400	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MA*0601714A**	33000	TDR&TXV	13.7			11.4
	EA*4X36*17A*	*9MA*0801714A**	33200	TDR&TXV	14			11.5
	EA*4X36*17A*		33800	TXV		13		10.9
	EA*4X36*21A*	*8MX*0701716**	33600	TDR&TXV	13.7			11.3
	EA*4X36*21A*	*8MX*0902116**	33800	TDR&TXV	14.5			12
	EA*4X36*21A*	*8MX*1102120**	34000	TDR&TXV	14.5			12
	EA*4X36*21A*	*8MV*0901716**	33400	TDR&TXV	14			11.7
	EA*4X36*21A*	*8MV*1102120**	33400	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MX*0601714A**	33400	TDR&TXV	13.7			11.4
	EA*4X36*21A*	*9MX*0801716A**	33400	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MX*1002120A**	34000	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MV*0601714A**	33400	TDR&TXV	13.7			11.4
	EA*4X36*21A*	*9MV*0801716A**	33600	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MV*0802120A**	33400	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MV*1002120A**	33600	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MA*0601714A**	33000	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MA*0801714A**	33200	TDR&TXV	14			11.5
	* Tested Combo							

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	EA*4X36*21A*	*9MA*0802120A**	33200	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MA*1002122A**	33400	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MA*0602120A**	33200	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MV*1002116A**	33600	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MA*1002120A**	33200	TDR&TXV	14.2			11.8
	EA*4X36*21A*		33800	TXV		13		11
	EA*4X42*21A*	*8MX*0701716**	33800	TDR&TXV	14			11.5
	EA*4X42*21A*	*8MX*0902116**	34000	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MX*1102120**	34200	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MV*0901716**	33600	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MV*1102120**	33800	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MX*0601714A**	33600	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MX*0801716A**	33800	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MX*1002120A**	34400	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MV*0601714A**	33600	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MV*0801716A**	33800	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MV*0802120A**	33800	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MV*1002120A**	33800	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*0601714A**	33200	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MA*0801714A**	33400	TDR&TXV	14.2			11.8
	EA*4X42*21A*	*9MA*0802120A**	33600	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*1002122A**	33600	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*0602120A**	33400	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MV*1002116A**	33800	TDR&TXV	14.2			11.8
	EA*4X42*21A*	*9MA*1002120A**	33600	TDR&TXV	14.2			11.8
	EA*4X42*21A*		34000	TXV		13		11
	EA*4X42*24A*	*8MX*0902116**	34000	TDR&TXV	14.5			12
	EA*4X42*24A*	*8MX*1102120**	34200	TDR&TXV	14.5			12
	EA*4X42*24A*	*8MV*1102120**	33800	TDR&TXV	14.5			12
	EA*4X42*24A*	*8MV*1352422**	33800	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MX*1002120A**	34400	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MV*0802120A**	33800	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MV*1002120A**	33800	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MV*1202422A**	33800	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*0802120A**	33600	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*1002122A**	33600	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*1202422A**	33600	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*0602120A**	33400	TDR&TXV	14			11.5
	EA*4X42*24A*	*9MV*1002116A**	33800	TDR&TXV	14.2			11.8
	EA*4X42*24A*	*9MA*1002120A**	33600	TDR&TXV	14.2			11.8
	EA*4X42*24A*		33800	TXV		13		11
	EA*4X48*17A*		34800	TXV		13.2		11.2
	EA*4X48*21A*	*9MV*0802120A**	34200	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MV*1002120A**	34200	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MA*0802120A**	34000	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MA*1002122A**	34200	TDR&TXV	14.5			12
	EA*4X48*21A*	*9MA*0602120A**	33800	TDR&TXV	14			11.7
	EA*4X48*21A*		34400	TXV		13		11
EA*4X48*24A*		34400	TXV		13		11	
ED*4X36B**	*8MV*0701412**	32400	TDR&TXV	13.5			11.5	
ED*4X36B**		32600	TXV		13		11	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	ED*4X36B**	MV08B15**B*	32800	TDR&TXV	14			11.7
	ED*4X36F**	*8MX*0701716**	33400	TDR&TXV	13.5			11.2
	ED*4X36F**	*8MV*0901716**	33400	TDR&TXV	14			11.7
	ED*4X36F**	*9MX*0601714A**	33400	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MX*0601714A**	33400	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MX*0801716A**	33400	TDR&TXV	14			11.5
	ED*4X36F**	*9MX*0801716A**	33400	TDR&TXV	14			11.5
	ED*4X36F**	*9MV*0601714A**	33200	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MV*0801716A**	33400	TDR&TXV	14			11.5
	ED*4X36F**	*9MV*0802120A**	33400	TDR&TXV	14			11.7
	ED*4X36F**	*9MV*1002120A**	33400	TDR&TXV	14			11.7
	ED*4X36F**	*9MA*0601714A**	33000	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MA*0601714A**	33000	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MA*0801714A**	33200	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*0801714A**	33200	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*0802120A**	33200	TDR&TXV	14			11.7
	ED*4X36F**	*9MA*1002122A**	33400	TDR&TXV	14			11.7
	ED*4X36F**	*9MA*0602120A**	33200	TDR&TXV	13.7			11.5
	ED*4X36F**	*9MVX040	33200	TDR&TXV	13.2			11
	ED*4X36F**	*9MVX060	33600	TDR&TXV	13.5			11.2
	ED*4X36F**	*9MV*1002116A**	33400	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*1002120A**	33200	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*1002120A**	33200	TDR&TXV	14			11.5
	ED*4X36F**	OLV098A12A	33200	TDR&TXV	13.2			11
	ED*4X36F**	OLV112A16A	33600	TDR&TXV	13.5			11
	ED*4X36F**	OMV098J12A	33200	TDR&TXV	13.2			11
	ED*4X36F**	OMV112K14A	33400	TDR&TXV	13.5			11.5
	ED*4X36F**	*8MPV075	33600	TDR&TXV	13.5			11.5
	ED*4X36F**	*9MPV050	33200	TDR&TXV	13.2			11
	ED*4X36F**	*9MPV075	33400	TDR&TXV	13.2			11.2
	ED*4X36F**	MV12F19**B*	33600	TDR&TXV	14			12
	ED*4X36J**	*8MX*0902116**	33800	TDR&TXV	14			12
	ED*4X36J**	*8MX*1102120**	34000	TDR&TXV	14			12
	ED*4X36J**	*8MV*1102120**	33400	TDR&TXV	14			11.7
	ED*4X36J**	*9MV*0802120A**	33400	TDR&TXV	14			11.7
	ED*4X36J**	*9MV*1002120A**	33600	TDR&TXV	14			11.7
	ED*4X36J**	*9MV*1202422A**	33600	TDR&TXV	14.2			11.8
	ED*4X36J**	*9MA*0802120A**	33200	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*1002122A**	33400	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*1202422A**	33200	TDR&TXV	14.2			11.8
	ED*4X36J**	*9MA*0602120A**	33200	TDR&TXV	14			11.7
	ED*4X36J**	*9MVX080	34000	TDR&TXV	13.5			11.7
	ED*4X36J**	*9MV*1002116A**	33600	TDR&TXV	14			11.5
	ED*4X36J**	*9MA*1002120A**	33200	TDR&TXV	14.2			11.8
	ED*4X36J**	OLV112A16A	33600	TDR&TXV	13.5			11.5
	ED*4X36J**		33800	TXV		13		10.9
	ED*4X36J**	*8MPV100	34200	TDR&TXV	14			11.7
	ED*4X36J**	*8MPV125	34200	TDR&TXV	14			11.7
	ED*4X36J**	*9MPV100	34000	TDR&TXV	13.5			11.5
	ED*4X36J**	MV16J22**B*	33800	TDR&TXV	14			12
	ED*4X42F**	*9MX*0601714A**	33600	TDR&TXV	13.7			11.4

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A336AKB	ED*4X42F**	*9MX*0801716A**	33600	TDR&TXV	14			11.5
	ED*4X42F**	*9MV*0601714A**	33600	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MV*0801716A**	33600	TDR&TXV	14			11.5
	ED*4X42F**	*9MV*0802120A**	33600	TDR&TXV	14			11.7
	ED*4X42F**	*9MV*1002120A**	33600	TDR&TXV	14.5			12
	ED*4X42F**	*9MA*0601714A**	33200	TDR&TXV	14			11.5
	ED*4X42F**	*9MA*0801714A**	33400	TDR&TXV	14			11.5
	ED*4X42F**	*9MA*0802120A**	33600	TDR&TXV	14.5			12
	ED*4X42F**	*9MA*1002122A**	33600	TDR&TXV	14.5			12
	ED*4X42F**	*9MA*0602120A**	33400	TDR&TXV	14			11.5
	ED*4X42F**	*9MVX040	33400	TDR&TXV	13.2			11.2
	ED*4X42F**	*9MVX060	33800	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MV*1002116A**	33800	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MA*1002120A**	33400	TDR&TXV	14.2			11.8
	ED*4X42F**	OLV098A12A	33400	TDR&TXV	13.2			11
	ED*4X42F**	OLV112A16A	33800	TDR&TXV	13.5			11.5
	ED*4X42F**	OMV098J12A	33600	TDR&TXV	13.2			11
	ED*4X42F**	OMV112K14A	33600	TDR&TXV	13.5			11.5
	ED*4X42F**		33800	TXV			13	11
	ED*4X42F**	*8MPV075	34000	TDR&TXV	13.5			11.5
	ED*4X42F**	*9MPV050	33600	TDR&TXV	13.2			11.2
	ED*4X42F**	*9MPV075	33600	TDR&TXV	13.5			11.2
	ED*4X42F**	MV12F19**B*	34000	TDR&TXV	14			12
	ED*4X42J**	*8MX*0902116**	34000	TDR&TXV	14			12
	ED*4X42J**	*8MX*1102120**	34200	TDR&TXV	14			12
	ED*4X42J**	*8MV*1102120**	33600	TDR&TXV	14			12
	ED*4X42J**	*9MV*0802120A**	33800	TDR&TXV	14.5			12
	ED*4X42J**	*9MV*1002120A**	33800	TDR&TXV	14.5			12
	ED*4X42J**	*9MV*1202422A**	33800	TDR&TXV	14.5			12
	ED*4X42J**	*9MA*0802120A**	33600	TDR&TXV	14.5			12
	ED*4X42J**	*9MA*1002122A**	33600	TDR&TXV	14.5			12
	ED*4X42J**	*9MA*1202422A**	33600	TDR&TXV	14.5			12
	ED*4X42J**	*9MA*0602120A**	33400	TDR&TXV	14			11.7
	ED*4X42J**	*9MVX080	34400	TDR&TXV	14			11.7
	ED*4X42J**	*9MV*1002116A**	33800	TDR&TXV	14.2			11.8
	ED*4X42J**	*9MA*1002120A**	33600	TDR&TXV	14.2			11.8
	ED*4X42J**	OLV112A16A	33800	TDR&TXV	13.5			11.5
	ED*4X42J**		34000	TXV			13	11
	ED*4X42J**	*8MPV100	34400	TDR&TXV	14			11.7
	ED*4X42J**	*8MPV125	34400	TDR&TXV	14			12
	ED*4X42J**	*9MPV100	34200	TDR&TXV	13.5			11.7
	ED*4X42J**	MV16J22**B*	34000	TDR&TXV	14			12
	ED*4X42L**	*8MV*1352422**	33600	TDR&TXV	14			12
	ED*4X42L**	*9MV*0802120A**	33800	TDR&TXV	14.5			12
	ED*4X42L**	*9MV*1002120A**	33800	TDR&TXV	14.5			12
	ED*4X42L**	*9MV*1202422A**	33800	TDR&TXV	14.5			12
	ED*4X42L**	*9MA*0802120A**	33600	TDR&TXV	14.5			12
	ED*4X42L**	*9MA*1002122A**	33600	TDR&TXV	14.5			12
ED*4X42L**	*9MA*1202422A**	33600	TDR&TXV	14.5			12	
ED*4X42L**	*9MA*0602120A**	33400	TDR&TXV	14			11.7	
ED*4X42L**	*9MVX100	34200	TDR&TXV	14			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A336AKB	ED*4X42L**	*9MV*1002116A**	33800	TDR&TXV	14.2		11.8
	ED*4X42L**	*9MA*1002120A**	33600	TDR&TXV	14.2		11.8
	ED*4X42L**	OLV112A16A	33800	TDR&TXV	13.5		11.5
	ED*4X42L**	OLV154F20A	34600	TDR&TXV	14		11.7
	ED*4X42L**		34000	TXV		13	11
	ED*4X42L**	*9MPV125	34400	TDR&TXV	14		11.7
	ED*4X42L**	MV20L24**B*	34000	TDR&TXV	14		12
	ED*4X48F**	*8MX*0701716**	34400	TDR&TXV	14		11.7
	ED*4X48J**	*9MV*0802120A**	34200	TDR&TXV	14.5		12
	ED*4X48J**	*9MV*1002120A**	34200	TDR&TXV	14.5		12
	EHD4X36A**	*9MX*0601714A**	34200	TDR&TXV	14		11.5
	EHD4X36A**	*9MX*0801716A**	34200	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MX*1002120A**	34800	TDR&TXV	14		11.7
	EHD4X36A**	*9MV*0601714A**	34000	TDR&TXV	14		11.5
	EHD4X36A**	*9MV*0801716A**	34200	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MV*0802120A**	34000	TDR&TXV	14.5		12
	EHD4X36A**	*9MV*1002120A**	34000	TDR&TXV	14.5		12
	EHD4X36A**	*9MV*1202422A**	34000	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*0601714A**	33600	TDR&TXV	14		11.5
	EHD4X36A**	*9MA*0801714A**	33800	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MA*0802120A**	34000	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*1002122A**	34200	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*1202422A**	34000	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*0602120A**	33800	TDR&TXV	14		11.7
	EHD4X36A**	*9MVX040	33200	TDR&TXV	13.2		11
	EHD4X36A**	*9MVX060	33600	TDR&TXV	13.5		11.2
	EHD4X36A**	*9MVX080	34000	TDR&TXV	13.5		11.7
	EHD4X36A**	*9MVX100	34400	TDR&TXV	14		12
	EHD4X36A**	*9MV*1002116A**	34200	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MA*1002120A**	34000	TDR&TXV	14.2		11.8
	EHD4X36A**	OLV098A12A	34000	TDR&TXV	13.5		11
	EHD4X36A**	OLV112A16A	34400	TDR&TXV	13.5		11.5
	EHD4X36A**	OLV154F20A	34800	TDR&TXV	14		11.7
	EHD4X36A**	OMV098J12A	34000	TDR&TXV	13.5		11
	EHD4X36A**	OMV112K14A	34200	TDR&TXV	13.5		11.7
	EHD4X36A**		34000	TXV		13	11
	EHD4X36A**	*8MPV050	33800	TDR&TXV	13.2		11.2
	EHD4X36A**	*8MPV075	33400	TDR&TXV	13.5		11.7
	EHD4X36A**	*8MPV100	33600	TDR&TXV	14		12
	EHD4X36A**	*8MPV125	33400	TDR&TXV	14		12
	EHD4X36A**	*9MPV050	33800	TDR&TXV	13.2		11.2
	EHD4X36A**	*9MPV075	33400	TDR&TXV	13.5		11.5
EHD4X36A**	*9MPV100	33400	TDR&TXV	14		11.7	
EHD4X36A**	*9MPV125	33400	TDR&TXV	14		12	
EHD4X36A**	MV08B15**B*	33400	TDR&TXV	14		12	
EHD4X36A**	MV12F19**B*	33400	TDR&TXV	14		12	
EHD4X36A**	MV16J22**B*	33400	TDR&TXV	14		12	
EHD4X36A**	MV20L24**B*	33400	TDR&TXV	14		12	
EHD4X42A**	*9MX*0601714A**	34400	TDR&TXV	14.2		11.8	
EHD4X42A**	*9MX*0801716A**	34400	TDR&TXV	14.2		11.8	
EHD4X42A**	*9MX*1002120A**	35000	TDR&TXV	14.5		12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	EHD4X42A**	*9MV*0601714A**	34200	TDR&TXV	14			11.5
	EHD4X42A**	*9MV*0801716A**	34400	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MV*0802120A**	34400	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*1002120A**	34400	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*1202422A**	34400	TDR&TXV	14.5			12
	EHD4X42A**	*9MA*0601714A**	33800	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MA*0801714A**	34000	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MA*0802120A**	34200	TDR&TXV	14.5			12
	EHD4X42A**	*9MA*1002122A**	34400	TDR&TXV	14.5			12
	EHD4X42A**	*9MA*1202422A**	34200	TDR&TXV	14.5			12
	EHD4X42A**	*9MA*0602120A**	34000	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MVX040	33400	TDR&TXV	13.2			11.2
	EHD4X42A**	*9MVX060	33800	TDR&TXV	13.5			11.2
	EHD4X42A**	*9MVX080	34400	TDR&TXV	14			11.7
	EHD4X42A**	*9MVX100	34200	TDR&TXV	14			12
	EHD4X42A**	*9MV*1002116A**	34400	TDR&TXV	14.5			12
	EHD4X42A**	*9MA*1002120A**	34200	TDR&TXV	14.5			12
	EHD4X42A**	OLV098A12A	34200	TDR&TXV	13.5			11.5
	EHD4X42A**	OLV112A16A	34600	TDR&TXV	13.5			11.7
	EHD4X42A**	OLV154F20A	34800	TDR&TXV	14			12
	EHD4X42A**	OMV098J12A	34200	TDR&TXV	13.5			11.5
	EHD4X42A**	OMV112K14A	34400	TDR&TXV	14			11.7
	EHD4X42A**		33800	TXV		13		11
	EHD4X42A**	*8MPV050	33800	TDR&TXV	13.5			11.2
	EHD4X42A**	*8MPV075	34000	TDR&TXV	14			11.7
	EHD4X42A**	*8MPV100	34400	TDR&TXV	14			12
	EHD4X42A**	*8MPV125	34200	TDR&TXV	14			12
	EHD4X42A**	*9MPV050	34000	TDR&TXV	13.5			11.2
	EHD4X42A**	*9MPV075	34000	TDR&TXV	13.5			11.5
	EHD4X42A**	*9MPV100	34200	TDR&TXV	14			11.7
	EHD4X42A**	*9MPV125	34200	TDR&TXV	14			12
	EHD4X42A**	MV08B15**B*	34000	TDR&TXV	14			12
	EHD4X42A**	MV12F19**B*	34000	TDR&TXV	14			12
	EHD4X42A**	MV16J22**B*	34000	TDR&TXV	14			12
	EHD4X42A**	MV20L24**B*	34000	TDR&TXV	14			12
	EHD4X48A**	*9MA*0802120A**	34200	TDR&TXV	14.5			12
	EHD4X48A**	*9MA*1002122A**	34400	TDR&TXV	14.5			12
	EHD4X48A**	*9MA*0602120A**	34200	TDR&TXV	14			11.7
	EMA4X36D**		33800	TXV		13		10.9
	EN(A,D)4X36*21**	*8MX*0902116**	33400	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*8MX*1102120**	33600	TDR&TXV	14			11.7
	EN(A,D)4X36*21**	*8MV*1102120**	33400	TDR&TXV	13.5			11.5
	EN(A,D)4X36*21**	*9MX*0601714A**	33200	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MX*0801716A**	33200	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MX*1002120A**	33800	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*0601714A**	33200	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MV*0801716A**	33400	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MV*0802120A**	33200	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*1002120A**	33200	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0601714A**	32800	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MA*0801714A**	33000	TDR&TXV	13.7			11.4

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	EN(A,D)4X36*21**	*9MA*0802120A**	33200	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*1002122A**	33400	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0602120A**	33000	TDR&TXV	13.7			11.5
	EN(A,D)4X36*21**	*9MVX040	33200	TDR&TXV	13			11
	EN(A,D)4X36*21**	*9MVX060	33400	TDR&TXV	13.2			11
	EN(A,D)4X36*21**	*9MVX080	33800	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*9MV*1002116A**	33400	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*1002120A**	33200	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	OLV098A12A	33200	TDR&TXV	13.2			11
	EN(A,D)4X36*21**	OLV112A16A	33400	TDR&TXV	13.2			11
	EN(A,D)4X36*21**	OMV098J12A	33200	TDR&TXV	13.2			11
	EN(A,D)4X36*21**	OMV112K14A	33400	TDR&TXV	13.5			11
	EN(A,D)4X36*21**		33800	TXV		13		11
	EN(A,D)4X36*21**	*9MPV050	33200	TDR&TXV	13			11
	EN(A,D)4X36*21**	*9MPV075	33200	TDR&TXV	13.2			11
	EN(A,D)4X36*21**	*9MPV100	33600	TDR&TXV	13.5			11
	EN(A,D)4X37*17**	*8MX*0451408**	34600	TDR&TXV	13.5			11
	EN(A,D)4X37*17**	*8MX*0701716**	34600	TDR&TXV	14			11.7
	EN(A,D)4X37*17**	*8MV*0701412**	34400	TDR&TXV	14			12
	EN(A,D)4X37*17**	*8MV*0901716**	34600	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0601714A**	34600	TDR&TXV	14.2			11.8
	EN(A,D)4X37*17**	*9MX*0801716A**	34600	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0601714A**	34600	TDR&TXV	14.2			11.8
	EN(A,D)4X37*17**	*9MV*0801716A**	34200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0601714A**	34000	TDR&TXV	14.2			11.8
	EN(A,D)4X37*17**	*9MA*0801714A**	34200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MVX040	34400	TDR&TXV	13.2			11
	EN(A,D)4X37*17**	*9MVX060	34800	TDR&TXV	13.5			11.5
	EN(A,D)4X37*17**	OLV098A12A	34400	TDR&TXV	13.5			11.5
	EN(A,D)4X37*17**	OMV098J12A	34600	TDR&TXV	13.5			11.5
	EN(A,D)4X37*17**	OMV112K14A	34600	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*9MPV050	34600	TDR&TXV	13.2			11
	EN(A,D)4X37*17**	*9MPV075	34600	TDR&TXV	13.5			11
	EN(A,D)4X37*17**		34800	TXV		13		11
	EN(A,D)4X37*17**	*8MPV050	34400	TDR&TXV	13.5			11
	EN(A,D)4X37*17**	*8MPV075	34800	TDR&TXV	14			11.7
	EN(A,D)4X43*24**	*8MX*0902116**	34800	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1102120**	34800	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1102120**	34600	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1352422**	34600	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*1002120A**	35600	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*0802120A**	34800	TDR&TXV	14.5			12.2
	EN(A,D)4X43*24**	*9MV*1002120A**	34800	TDR&TXV	14.5			12.2
	EN(A,D)4X43*24**	*9MV*1202422A**	34400	TDR&TXV	15			12.5
	EN(A,D)4X43*24**	*9MA*0802120A**	34400	TDR&TXV	14.5			12.2
	EN(A,D)4X43*24**	*9MA*1002122A**	34600	TDR&TXV	14.5			12.2
	EN(A,D)4X43*24**	*9MA*1202422A**	34400	TDR&TXV	15			12.4
	EN(A,D)4X43*24**	*9MA*0602120A**	34400	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MVX080	34800	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MVX100	34800	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MV*1002116A**	34400	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	EN(A,D)4X43*24**	*9MA*1002120A**	34400	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	OLV112A16A	34800	TDR&TXV	14			12
	EN(A,D)4X43*24**	OLV154F20A	34800	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MPV100	34800	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MPV125	34800	TDR&TXV	14			12
	EN(A,D)4X43*24**		35000	TXV		13		11
	EN(A,D)4X43*24**	*8MPV100	34800	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MPV125	34800	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MX*0701716**	33200	TDR&TXV	13.5			11.2
	EN(A,D,W)4X36*17**	*8MV*0901716**	33200	TDR&TXV	13.5			11.5
	EN(A,D,W)4X36*17**	*9MX*0601714A**	33200	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MX*0801716A**	33200	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MV*0601714A**	33200	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MV*0801716A**	33200	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MA*0601714A**	32800	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MA*0801714A**	33000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MVX040	33000	TDR&TXV	13			11
	EN(A,D,W)4X36*17**	*9MVX060	33400	TDR&TXV	13.2			11
	EN(A,D,W)4X36*17**	OLV098A12A	33000	TDR&TXV	13.2			11
	EN(A,D,W)4X36*17**	OMV098J12A	33200	TDR&TXV	13.2			11
	EN(A,D,W)4X36*17**	OMV112K14A	33400	TDR&TXV	13.4			11
	EN(A,D,W)4X36*17**		33800	TXV		13		11
	EN(A,D,W)4X36*17**	*9MPV050	33200	TDR&TXV	13.2			11
	EN(A,D,W)4X36*17**	*9MPV075	33200	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	*8MX*0902116**	34000	TDR&TXV	14			12
	EN(A,D,W)4X42*21**	*8MX*1102120**	34000	TDR&TXV	14			12
	EN(A,D,W)4X42*21**	*8MV*1102120**	33800	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MX*0601714A**	33600	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MX*0801716A**	33600	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	*9MX*1002120A**	34200	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MV*0601714A**	33600	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MV*0801716A**	33800	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	*9MV*0802120A**	33600	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MV*1002120A**	33600	TDR&TXV	14.2			11.8
	EN(A,D,W)4X42*21**	*9MA*0601714A**	33200	TDR&TXV	13.7			11.4
	EN(A,D,W)4X42*21**	*9MA*0801714A**	33400	TDR&TXV	14			11.5
	EN(A,D,W)4X42*21**	*9MA*0802120A**	33600	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MA*1002122A**	33600	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MA*0602120A**	33400	TDR&TXV	14			11.7
	EN(A,D,W)4X42*21**	*9MVX040	33600	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	*9MVX060	33800	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	*9MVX080	34200	TDR&TXV	13.5			11.5
	EN(A,D,W)4X42*21**	*9MV*1002116A**	33800	TDR&TXV	14.2			11.8
	EN(A,D,W)4X42*21**	*9MA*1002120A**	33600	TDR&TXV	14.2			11.8
	EN(A,D,W)4X42*21**	OLV098A12A	33400	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	OLV112A16A	33800	TDR&TXV	13.5			11.5
	EN(A,D,W)4X42*21**	OMV098J12A	33600	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	OMV112K14A	33600	TDR&TXV	13.5			11.5
	EN(A,D,W)4X42*21**		34000	TXV		13		11
	EN(A,D,W)4X42*21**	*9MPV050	33600	TDR&TXV	13.2			11
	EN(A,D,W)4X42*21**	*9MPV075	33600	TDR&TXV	13.2			11

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336AKB	EN(A,D,W)4X42*21**	*9MPV100	34200	TDR&TXV	13.5		11.5	
	EN(A,D,W)4X48*21**	*8MX*0902116**	34600	TDR&TXV	14.5		12.2	
	EN(A,D,W)4X48*21**	*8MX*1102120**	34800	TDR&TXV	14.5		12.2	
	EN(A,D,W)4X48*21**	*9MX*0601714A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X48*21**	*9MX*0801716A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X48*21**	*9MV*0802120A**	34400	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MV*1002120A**	34400	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MA*0601714A**	33800	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X48*21**	*9MA*0801714A**	34000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MA*0802120A**	34000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MA*1002122A**	34200	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MA*0602120A**	34000	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X48*21**	*9MV*1002116A**	34400	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**	*9MA*1002120A**	34000	TDR&TXV	14.5		12	
	EN(A,D,W)4X48*21**		34600	TXV		13.2	11	
	END4X42*17**	*8MX*0701716**	33800	TDR&TXV	14		11.7	
	END4X42*17**	*8MV*0901716**	33800	TDR&TXV	14		11.7	
	END4X42*17**	*9MX*0601714A**	34000	TDR&TXV	14		11.5	
	END4X42*17**	*9MX*0801716A**	34000	TDR&TXV	14.2		11.8	
	END4X42*17**	*9MV*0601714A**	33800	TDR&TXV	14		11.5	
	END4X42*17**	*9MV*0801716A**	34000	TDR&TXV	14.2		11.8	
	END4X42*17**	*9MA*0601714A**	33400	TDR&TXV	14		11.5	
	END4X42*17**	*9MA*0801714A**	33600	TDR&TXV	14.2		11.8	
	END4X42*17**	*9MVX040	33800	TDR&TXV	13.2		11	
	END4X42*17**	*9MVX060	34200	TDR&TXV	13.2		11	
	END4X42*17**	OLV098A12A	33800	TDR&TXV	13.5		11	
	END4X42*17**	OMV098J12A	33800	TDR&TXV	13.2		11	
	END4X42*17**	OMV112K14A	34000	TDR&TXV	13.5		11.5	
	END4X42*17**		33800	TXV		13	11	
	END4X42*17**	*9MPV050	33800	TDR&TXV	13.2		11	
	END4X42*17**	*9MPV075	33800	TDR&TXV	13.2		11	
	ENH4X36*17**	*8MX*0701716**	33200	TDR&TXV	13.5		11	
	ENH4X36*17**	*8MX*0902116**	33400	TDR&TXV	14		11.7	
	ENH4X36*17**	*8MX*1102120**	33600	TDR&TXV	14		11.7	
	ENH4X36*17**	*8MV*0701412**	33200	TDR&TXV	13.5		11.5	
	ENH4X36*17**	*8MV*0901716**	33200	TDR&TXV	13.5		11.5	
	ENH4X36*17**	*8MV*1102120**	33400	TDR&TXV	13.5		11.5	
	ENH4X36*17**	*8MV*1352422**	33400	TDR&TXV	14		11.7	
	ENH4X36*17**	*9MX*0601714A**	33200	TDR&TXV	13.7		11.4	
	ENH4X36*17**	*9MX*0801716A**	33200	TDR&TXV	13.7		11.4	
	ENH4X36*17**	*9MV*0601714A**	33200	TDR&TXV	13.7		11.4	
	ENH4X36*17**	*9MV*0801716A**	33200	TDR&TXV	13.7		11.4	
ENH4X36*17**	*9MV*1202422A**	33200	TDR&TXV	14.2		11.8		
ENH4X36*17**	*9MA*0601714A**	32800	TDR&TXV	13.7		11.4		
ENH4X36*17**	*9MA*0801714A**	33000	TDR&TXV	13.7		11.4		
ENH4X36*17**	*9MA*1202422A**	33200	TDR&TXV	14.2		11.8		
ENH4X36*17**	*9MVX040	33000	TDR&TXV	13		11		
ENH4X36*17**	*9MVX060	33400	TDR&TXV	13.2		11		
ENH4X36*17**	*9MVX080	33800	TDR&TXV	13.2		11		
ENH4X36*17**	*9MVX100	33600	TDR&TXV	13.2		11.5		
ENH4X36*17**	*9MV*1002116A**	33200	TDR&TXV	13.7		11.4		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A336AKB	ENH4X36*17**	*9MA*1002120A**	33200	TDR&TXV	14			11.5
	ENH4X36*17**	OLV098A12A	33000	TDR&TXV	13.2			11
	ENH4X36*17**	OLV112A16A	33400	TDR&TXV	13.2			11
	ENH4X36*17**	OLV154F20A	34200	TDR&TXV	13.5			11.5
	ENH4X36*17**	OMV098J12A	33200	TDR&TXV	13.2			11
	ENH4X36*17**	OMV112K14A	33400	TDR&TXV	13.2			11
	ENH4X36*17**		33800	TXV		13		11
	ENH4X36*17**	*9MPV050	33200	TDR&TXV	13			11
	ENH4X36*17**	*9MPV075	33200	TDR&TXV	13.2			11
	ENH4X36*17**	*9MPV100	33600	TDR&TXV	13.2			11
	ENH4X36*17**	*9MPV125	33600	TDR&TXV	13.5			11.5
	ENH4X42*21**	*8MX*0701716**	33600	TDR&TXV	13.5			11.2
	ENH4X42*21**	*8MX*0902116**	34000	TDR&TXV	14			12
	ENH4X42*21**	*8MX*1102120**	34000	TDR&TXV	14			12
	ENH4X42*21**	*8MV*0701412**	33600	TDR&TXV	13.5			11.5
	ENH4X42*21**	*8MV*0901716**	33600	TDR&TXV	14			11.7
	ENH4X42*21**	*8MV*1102120**	33800	TDR&TXV	14			11.7
	ENH4X42*21**	*8MV*1352422**	33600	TDR&TXV	14			12
	ENH4X42*21**	*9MX*0601714A**	33600	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MX*0801716A**	33600	TDR&TXV	14			11.5
	ENH4X42*21**	*9MX*1002120A**	34200	TDR&TXV	14			11.7
	ENH4X42*21**	*9MV*0601714A**	33600	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MV*0801716A**	33800	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*0802120A**	33600	TDR&TXV	14			11.7
	ENH4X42*21**	*9MV*1002120A**	33600	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MV*1202422A**	33600	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0601714A**	33200	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*0801714A**	33400	TDR&TXV	14			11.5
	ENH4X42*21**	*9MA*0802120A**	33600	TDR&TXV	14			11.7
	ENH4X42*21**	*9MA*1002122A**	33600	TDR&TXV	14			11.7
	ENH4X42*21**	*9MA*1202422A**	33600	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0602120A**	33400	TDR&TXV	14			11.7
	ENH4X42*21**	*9MVX040	33600	TDR&TXV	13.2			11
	ENH4X42*21**	*9MVX060	33800	TDR&TXV	13.2			11
	ENH4X42*21**	*9MVX080	34200	TDR&TXV	13.5			11.5
	ENH4X42*21**	*9MVX100	34000	TDR&TXV	13.5			11.5
	ENH4X42*21**	*9MV*1002116A**	33800	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*1002120A**	33600	TDR&TXV	14.2			11.8
	ENH4X42*21**	OLV098A12A	33400	TDR&TXV	13.2			11
	ENH4X42*21**	OLV112A16A	33800	TDR&TXV	13.5			11.5
	ENH4X42*21**	OLV154F20A	34600	TDR&TXV	13.5			11.5
	ENH4X42*21**	OMV098J12A	33600	TDR&TXV	13.2			11
	ENH4X42*21**	OMV112K14A	33600	TDR&TXV	13.5			11.5
	ENH4X42*21**		34000	TXV		13		11
	ENH4X42*21**	*9MPV050	33600	TDR&TXV	13			11
	ENH4X42*21**	*9MPV075	33600	TDR&TXV	13.2			11
	ENH4X42*21**	*9MPV100	34200	TDR&TXV	13.5			11.5
	ENH4X42*21**	*9MPV125	34200	TDR&TXV	13.5			11.5
	ENH4X43*21**	*8MX*0451408**	34800	TDR&TXV	13.5			11
	ENH4X43*21**	*8MX*0701716**	34800	TDR&TXV	14			11.7
	ENH4X43*21**	*8MX*0902116**	34800	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A336AKB	ENH4X43*21**	*8MX*1102120**	34800	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*0701412**	34400	TDR&TXV	14			12
	ENH4X43*21**	*8MV*0901716**	34600	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*1102120**	34600	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*1352422**	34600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*0601714A**	34800	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MX*0801716A**	34600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*1002120A**	35400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*0601714A**	34200	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MV*0801716A**	34200	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*0802120A**	34600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1002120A**	34800	TDR&TXV	14.5			12.2
	ENH4X43*21**	*9MV*1202422A**	34400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0601714A**	34200	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MA*0801714A**	34200	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0802120A**	34400	TDR&TXV	14.5			12.2
	ENH4X43*21**	*9MA*1002122A**	34600	TDR&TXV	14.5			12.2
	ENH4X43*21**	*9MA*1202422A**	34400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0602120A**	34200	TDR&TXV	14.5			12
	ENH4X43*21**	*9MVX040	34600	TDR&TXV	13.2			11
	ENH4X43*21**	*9MVX060	34800	TDR&TXV	13.5			11.5
	ENH4X43*21**	*9MVX080	34800	TDR&TXV	14			11.5
	ENH4X43*21**	*9MVX100	34800	TDR&TXV	14			12
	ENH4X43*21**	*9MV*1002116A**	34400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1002120A**	34400	TDR&TXV	14.5			12
	ENH4X43*21**	OLV098A12A	34400	TDR&TXV	13.5			11.7
	ENH4X43*21**	OLV112A16A	34800	TDR&TXV	14			11.7
	ENH4X43*21**	OLV154F20A	34800	TDR&TXV	14			12.2
	ENH4X43*21**	OMV098J12A	34600	TDR&TXV	13.5			11.7
	ENH4X43*21**	OMV112K14A	34600	TDR&TXV	14			12
	ENH4X43*21**	*9MPV050	34600	TDR&TXV	13.5			11
	ENH4X43*21**	*9MPV075	34800	TDR&TXV	13.5			11.5
	ENH4X43*21**	*9MPV100	34800	TDR&TXV	14			11.5
	ENH4X43*21**	*9MPV125	34800	TDR&TXV	14			12
	ENH4X43*21**		34800	TXV		13		11
	ENH4X43*21**	*8MPV050	34400	TDR&TXV	13.5			11
	ENH4X43*21**	*8MPV075	34800	TDR&TXV	14			12
	ENH4X43*21**	*8MPV100	34800	TDR&TXV	14.5			12
	ENH4X43*21**	*8MPV125	34800	TDR&TXV	14.5			12
	ENH4X48*21**	*8MV*0901716**	34200	TDR&TXV	14.5			12.2
	ENH4X48*21**	*9MX*0601714A**	34400	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MX*0801716A**	34400	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MA*0601714A**	33800	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MA*0801714A**	34000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*0802120A**	34000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*1002122A**	34200	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*1202422A**	34000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*0602120A**	34000	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MA*1002120A**	34000	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	*ED*4X42J**		41000	TXV		13		11
	FEM4P42**A*		41000	TDR	13.5			11.5
	FEM4P42**A*		41500	TDR			14	11.5
	FEM4P48**A*		41000	TDR	13.5			11.5
	FEM4P48**A*		41500	TDR			14	11.5
	FEM4X42****		41500	TDR&TXV	14			11.5
	FEM4X48****		42500	TDR&TXV	14			11.7
	FS(M,U)4P42**A*		41000	TDR	13			11
	FS(M,U)4P42**A*		41000	TDR			13	11
	FS(M,U)4P48**A*		42000	TDR	13			11
	FS(M,U)4P48**A*		42000	TDR			13.5	11
	FS(M,U)4X42****		41000	TDR&TXV	13			10.8
	FS(M,U)4X48****		42000	TDR&TXV	13.2			11
	FSM4X36****		41500	TDR&TXV	13			10.9
	FVM4X48****		41500	TDR&TXV	14			12
	FVM4X60****		42500	TDR&TXV	14			12
	FXM4X42**A*		41500	TDR&TXV	14			11.5
	FXM4X48**A*		42000	TDR&TXV	14.5			12
	FXM4X60**A*		42500	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MX*0701716**	40000	TDR&TXV	13.2			11.2
	EA*4X42*21A*	*8MX*0902116**	40500	TDR&TXV	14			11.7
	EA*4X42*21A*	*8MX*1102120**	40500	TDR&TXV	14			11.7
	EA*4X42*21A*	*8MV*0901716**	40000	TDR&TXV	14			11.7
	EA*4X42*21A*	*8MV*1102120**	40000	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MX*0601714A**	40000	TDR&TXV	13.5			11.2
	EA*4X42*21A*	*9MX*0801716A**	40000	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	EA*4X42*21A*	*9MX*1002120A**	40500	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MV*0601714A**	40000	TDR&TXV	13.5			11.2
	EA*4X42*21A*	*9MV*0801716A**	40000	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MV*0802120A**	40000	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MA*0601714A**	39500	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MA*0801714A**	40000	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MA*0802120A**	40000	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MA*0602120A**	39500	TDR&TXV	13.7			11.5
	EA*4X42*21A*	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MV*1002116A**	40500	TDR&TXV	13.7			11.4
	EA*4X42*21A*	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	EA*4X42*21A*		41000	TXV		13		11
	EA*4X42*24A*	*8MX*0902116**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*8MX*1102120**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*8MX*1352420**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*8MV*1102120**	40000	TDR&TXV	14			11.7
	EA*4X42*24A*	*8MV*1352422**	40500	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MX*0802120A**	40500	TDR&TXV	14			11.5
	EA*4X42*24A*	*9MX*1002120A**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MX*1202422A**	40500	TDR&TXV	14.2			11.8
	* Tested Combo	--						

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	EA*4X42*24A*	*9MV*0802120A**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MV*1002120A**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MV*1202422A**	40500	TDR&TXV	14.2			11.8
	EA*4X42*24A*	*9MA*0802120A**	40000	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MA*1202422A**	40000	TDR&TXV	14.2			11.8
	EA*4X42*24A*	*9MA*0602120A**	40000	TDR&TXV	13.7			11.5
	EA*4X42*24A*	*9MX*1002116A**	40000	TDR&TXV	14			11.5
	EA*4X42*24A*	*9MV*1002116A**	40500	TDR&TXV	13.7			11.4
	EA*4X42*24A*	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	EA*4X42*24A*		41000	TXV		13		11
	EA*4X48*17A*	*8MX*0701716**	41000	TDR&TXV	13.5			11.3
	EA*4X48*17A*	*8MV*0701412**	41000	TDR&TXV	14			11.5
	EA*4X48*17A*	*8MV*0901716**	41000	TDR&TXV	14			11.7
	EA*4X48*17A*	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*17A*	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*17A*	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*17A*	*9MV*0801716A**	41000	TDR&TXV	14			11.5
	EA*4X48*17A*	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
	EA*4X48*17A*	*9MA*0801714A**	40500	TDR&TXV	14			11.5
	EA*4X48*17A*		40500	TXV		13.2		11
	EA*4X48*21A*	*9MX*0601714A**	40500	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MX*0802120A**	41000	TDR&TXV	14			11.7
	EA*4X48*21A*	*9MX*1002120A**	41000	TDR&TXV	14			11.7
	EA*4X48*21A*	*9MV*0601714A**	40500	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MV*0801716A**	40500	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	EA*4X48*21A*	*9MV*1002120A**	41000	TDR&TXV	14			11.7
	EA*4X48*21A*	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MA*0801714A**	40500	TDR&TXV	14			11.5
	EA*4X48*21A*	*9MA*0802120A**	40500	TDR&TXV	14			11.7
	EA*4X48*21A*	*9MA*1002122A**	41000	TDR&TXV	14			11.8
	EA*4X48*21A*	*9MA*0602120A**	40500	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MX*1002116A**	40500	TDR&TXV	14			11.5
	EA*4X48*21A*	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	EA*4X48*21A*	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	EA*4X48*21A*		41500	TXV		13.2		11
	EA*4X48*24A*	*8MX*0902116**	41000	TDR&TXV	14.5			11.7
	EA*4X48*24A*	*8MX*1102120**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*8MX*1352420**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*8MV*1102120**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*8MV*1352422**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MX*0802120A**	41000	TDR&TXV	14			11.7
	EA*4X48*24A*	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	EA*4X48*24A*	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	EA*4X48*24A*	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8
	EA*4X48*24A*	*9MA*0802120A**	40500	TDR&TXV	14			11.7
	EA*4X48*24A*	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	EA*4X48*24A*	*9MA*1202422A**	40500	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	EA*4X48*24A*	*9MA*0602120A**	40500	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MX*1002116A**	41000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	EA*4X48*24A*		41500	TXV		13.2		11
	ED*4X42F**	*9MX*0601714A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MX*0801716A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	ED*4X42F**	*9MX*1002120A**	40000	TDR&TXV	14			11.7
	ED*4X42F**	*9MV*0601714A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MV*0801716A**	40000	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MV*0802120A**	40000	TDR&TXV	13.7			11.5
	ED*4X42F**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	ED*4X42F**	*9MA*0601714A**	39500	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MA*0801714A**	39500	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.5
	ED*4X42F**	*9MA*1002122A**	40000	TDR&TXV	14			11.7
	ED*4X42F**	*9MA*0602120A**	39500	TDR&TXV	13.7			11.3
	ED*4X42F**	*9MVX060	40000	TDR&TXV	13.2			11.2
	ED*4X42F**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MV*1002116A**	40000	TDR&TXV	13.7			11.4
	ED*4X42F**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ED*4X42F**	OLV112A16A	40500	TDR&TXV	13.2			11
	ED*4X42F**	OMV112K14A	40000	TDR&TXV	13.5			11.2
	ED*4X42F**		40500	TXV		13		10.8
	ED*4X42F**	*8MPV075	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MPV075	40000	TDR&TXV	13			10.9
	ED*4X42F**	MV12F19**B*	40500	TDR&TXV	14			12
	ED*4X42J**	*8MX*0902116**	40500	TDR&TXV	14			11.7
	ED*4X42J**	*8MX*1102120**	40500	TDR&TXV	14			12
	ED*4X42J**	*8MV*1102120**	40500	TDR&TXV	13.5			11.2
	ED*4X42J**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	ED*4X42J**	*9MX*1002120A**	40500	TDR&TXV	14			11.7
	ED*4X42J**	*9MX*1202422A**	40500	TDR&TXV	14			11.5
	ED*4X42J**	*9MV*0802120A**	40000	TDR&TXV	14			11.7
	ED*4X42J**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	ED*4X42J**	*9MV*1202422A**	40000	TDR&TXV	14.2			11.8
	ED*4X42J**	*9MA*0802120A**	40000	TDR&TXV	14			11.7
	ED*4X42J**	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	ED*4X42J**	*9MA*1202422A**	40000	TDR&TXV	14.2			11.8
	ED*4X42J**	*9MA*0602120A**	39500	TDR&TXV	13.7			11.5
	ED*4X42J**	*9MVX080	40500	TDR&TXV	13.5			11.5
	ED*4X42J**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MV*1002116A**	40500	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ED*4X42J**	OLV112A16A	40500	TDR&TXV	13.5			11.2
	ED*4X42J**	*8MPV100	41500	TDR&TXV	13.5			11.2
	ED*4X42J**	*8MPV125	41000	TDR&TXV	14			11.5
ED*4X42J**	MV16J22**B*	40500	TDR&TXV	14			12	
ED*4X42L**	*8MX*1352420**	40500	TDR&TXV	14			12	
ED*4X42L**	*8MV*1352422**	40500	TDR&TXV	14			11.5	
ED*4X42L**	*9MX*0802120A**	40500	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	ED*4X42L**	*9MX*1002120A**	40500	TDR&TXV	14		11.7	
	ED*4X42L**	*9MX*1202422A**	40500	TDR&TXV	14.2		11.8	
	ED*4X42L**	*9MV*0802120A**	40500	TDR&TXV	14		11.7	
	ED*4X42L**	*9MV*1002120A**	40500	TDR&TXV	14		11.7	
	ED*4X42L**	*9MV*1202422A**	40500	TDR&TXV	14.2		11.8	
	ED*4X42L**	*9MA*0802120A**	40000	TDR&TXV	14		11.7	
	ED*4X42L**	*9MA*1002122A**	40500	TDR&TXV	14		11.7	
	ED*4X42L**	*9MA*1202422A**	40000	TDR&TXV	14.2		11.8	
	ED*4X42L**	*9MA*0602120A**	40000	TDR&TXV	13.7		11.5	
	ED*4X42L**	*9MVX100	40500	TDR&TXV	14		11.7	
	ED*4X42L**	*9MX*1002116A**	40000	TDR&TXV	14		11.5	
	ED*4X42L**	*9MV*1002116A**	40500	TDR&TXV	13.7		11.4	
	ED*4X42L**	*9MA*1002120A**	40000	TDR&TXV	14		11.5	
	ED*4X42L**	OLV112A16A	40500	TDR&TXV	13.5		11.2	
	ED*4X42L**	OLV154F20A	41000	TDR&TXV	13.5		11.5	
	ED*4X42L**		41000	TXV		13	11	
	ED*4X42L**	*9MPV125	41500	TDR&TXV	13		11	
	ED*4X42L**	MV20L24**B*	40500	TDR&TXV	14		12	
	ED*4X48F**	*8MX*0701716**	39500	TDR&TXV	13.5		11.2	
	ED*4X48F**	*8MV*0901716**	40000	TDR&TXV	14		11.5	
	ED*4X48F**	*9MX*0601714A**	41000	TDR&TXV	13.7		11.4	
	ED*4X48F**	*9MX*0801716A**	41000	TDR&TXV	13.7		11.4	
	ED*4X48F**	*9MX*0802120A**	41500	TDR&TXV	14		11.7	
	ED*4X48F**	*9MX*1002120A**	41000	TDR&TXV	14.5		12	
	ED*4X48F**	*9MV*0601714A**	41000	TDR&TXV	13.7		11.4	
	ED*4X48F**	*9MV*0801716A**	41000	TDR&TXV	14		11.5	
	ED*4X48F**	*9MV*0802120A**	41000	TDR&TXV	14		11.7	
	ED*4X48F**	*9MV*1002120A**	41000	TDR&TXV	14.5		12	
	ED*4X48F**	*9MA*0601714A**	40500	TDR&TXV	13.7		11.4	
	ED*4X48F**	*9MA*0801714A**	40500	TDR&TXV	14		11.5	
	ED*4X48F**	*9MA*0802120A**	41000	TDR&TXV	14		11.7	
	ED*4X48F**	*9MA*1002122A**	41500	TDR&TXV	14.5		12	
	ED*4X48F**	*9MA*0602120A**	40500	TDR&TXV	14		11.5	
	ED*4X48F**	*9MVX060	41000	TDR&TXV	13.5		11.2	
	ED*4X48F**	*9MX*1002116A**	41000	TDR&TXV	14		11.5	
	ED*4X48F**	*9MV*1002116A**	41000	TDR&TXV	14		11.5	
	ED*4X48F**	*9MA*1002120A**	41000	TDR&TXV	14.2		11.8	
	ED*4X48F**	OLV112A16A	41500	TDR&TXV	13.5		11.2	
	ED*4X48F**	OMV112K14A	41000	TDR&TXV	13.5		11.5	
	ED*4X48F**		41500	TXV		13	11	
	ED*4X48F**	*8MPV075	41500	TDR&TXV	13.5		11.2	
	ED*4X48F**	*9MPV075	41000	TDR&TXV	13.2		11	
ED*4X48F**	MV12F19**B*	41500	TDR&TXV	14		12		
ED*4X48J**	*8MX*0902116**	41000	TDR&TXV	14		12		
ED*4X48J**	*8MX*1102120**	41000	TDR&TXV	14		12		
ED*4X48J**	*8MV*1102120**	41000	TDR&TXV	14		11.5		
ED*4X48J**	*9MX*0802120A**	41000	TDR&TXV	14		11.7		
ED*4X48J**	*9MX*1002120A**	41000	TDR&TXV	14		11.7		
ED*4X48J**	*9MX*1202422A**	41000	TDR&TXV	14.2		11.8		
ED*4X48J**	*9MX*1202422A**	41000	TDR&TXV	14.2		11.8		
ED*4X48J**	*9MV*0802120A**	41000	TDR&TXV	14		11.7		
ED*4X48J**	*9MV*1002120A**	41000	TDR&TXV	14		11.7		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	ED*4X48J**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*0802120A**	40500	TDR&TXV	14			11.7
	ED*4X48J**	*9MA*1002122A**	41000	TDR&TXV	14			11.8
	ED*4X48J**	*9MA*1202422A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*1202422A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*0602120A**	40500	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MVX080	41500	TDR&TXV	13.5			11.7
	ED*4X48J**	*9MX*1002116A**	40500	TDR&TXV	14			11.5
	ED*4X48J**	*9MX*1002116A**	40500	TDR&TXV	14			11.5
	ED*4X48J**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48J**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ED*4X48J**	OLV112A16A	41000	TDR&TXV	13.5			11.2
	ED*4X48J**		41500	TXV		13		11
	ED*4X48J**	*8MPV100	41500	TDR&TXV	14			11.5
	ED*4X48J**	*8MPV125	42000	TDR&TXV	14			11.5
	ED*4X48J**	*9MPV100	42000	TDR&TXV	13.2			11
	ED*4X48J**	MV16J22**B*	41000	TDR&TXV	14			12
	ED*4X48L**	*8MX*1352420**	41000	TDR&TXV	14			12
	ED*4X48L**	*8MV*1352422**	41000	TDR&TXV	14			11.7
	ED*4X48L**	*9MX*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48L**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	ED*4X48L**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	ED*4X48L**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	ED*4X48L**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	ED*4X48L**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8
	ED*4X48L**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*1202422A**	40500	TDR&TXV	14.5			12
	ED*4X48L**	*9MA*0602120A**	40500	TDR&TXV	14			11.5
	ED*4X48L**	*9MVX100	41000	TDR&TXV	14			12
	ED*4X48L**	*9MX*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48L**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ED*4X48L**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ED*4X48L**	OLV112A16A	41000	TDR&TXV	13.5			11.2
	ED*4X48L**	OLV154F20A	42000	TDR&TXV	14			11.5
	ED*4X48L**		41500	TXV		13.2		11
	ED*4X48L**	*9MPV125	42000	TDR&TXV	13.5			11.2
	ED*4X48L**	MV20L24**B*	41000	TDR&TXV	14			12
	EHD4X42A**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	EHD4X42A**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	EHD4X42A**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
EHD4X42A**	*9MV*0801716A**	41000	TDR&TXV	14			11.5	
EHD4X42A**	*9MV*0802120A**	41000	TDR&TXV	14			11.7	
EHD4X42A**	*9MV*1002120A**	41000	TDR&TXV	14.5			12	
EHD4X42A**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.8	
EHD4X42A**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4	
EHD4X42A**	*9MA*0801714A**	40500	TDR&TXV	14			11.5	
EHD4X42A**	*9MA*0802120A**	41000	TDR&TXV	14			11.7	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		EER
Standard	W/ Field TDR	W/ Field TXV					
N4A342AKA	EHD4X42A**	*9MA*1002122A**	41000	TDR&TXV	14.5		12
	EHD4X42A**	*9MA*1202422A**	41000	TDR&TXV	14.5		12
	EHD4X42A**	*9MA*0602120A**	40500	TDR&TXV	14		11.5
	EHD4X42A**	*9MVX060	40000	TDR&TXV	13.2		11.2
	EHD4X42A**	*9MVX080	40500	TDR&TXV	13.5		11.5
	EHD4X42A**	*9MVX100	40500	TDR&TXV	14		11.7
	EHD4X42A**	*9MX*1002116A**	41000	TDR&TXV	14		11.5
	EHD4X42A**	*9MV*1002116A**	41000	TDR&TXV	14		11.5
	EHD4X42A**	*9MA*1002120A**	41000	TDR&TXV	14.2		11.8
	EHD4X42A**	OLV112A16A	41500	TDR&TXV	13.5		11.2
	EHD4X42A**	OLV154F20A	42000	TDR&TXV	13.5		11.7
	EHD4X42A**	OMV112K14A	41000	TDR&TXV	13.5		11.5
	EHD4X42A**		41000	TXV		13.2	11
	EHD4X42A**	*8MPV075	41000	TDR&TXV	13.5		11.2
	EHD4X42A**	*8MPV100	41500	TDR&TXV	14		11.5
	EHD4X42A**	*8MPV125	41500	TDR&TXV	14		11.5
	EHD4X42A**	*9MPV075	40500	TDR&TXV	13.5		11.2
	EHD4X42A**	*9MPV100	40500	TDR&TXV	14		11.5
	EHD4X42A**	*9MPV125	41500	TDR&TXV	13.5		11.2
	EHD4X42A**	MV12F19**B*	41000	TDR&TXV	14		12
	EHD4X42A**	MV16J22**B*	41000	TDR&TXV	14		12
	EHD4X42A**	MV20L24**B*	41000	TDR&TXV	14		12
	EHD4X48A**	*9MX*0601714A**	41000	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MX*0801716A**	41000	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MX*0802120A**	41500	TDR&TXV	14		11.7
	EHD4X48A**	*9MX*1002120A**	41500	TDR&TXV	14.5		12
	EHD4X48A**	*9MX*1202422A**	41500	TDR&TXV	14.2		11.8
	EHD4X48A**	*9MV*0601714A**	41000	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MV*0801716A**	41000	TDR&TXV	14		11.5
	EHD4X48A**	*9MV*0802120A**	41500	TDR&TXV	14.5		12
	EHD4X48A**	*9MV*1002120A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MV*1202422A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*0601714A**	40500	TDR&TXV	13.7		11.4
	EHD4X48A**	*9MA*0801714A**	41000	TDR&TXV	14		11.5
	EHD4X48A**	*9MA*0802120A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*1002122A**	41500	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*1202422A**	41000	TDR&TXV	14.5		12
	EHD4X48A**	*9MA*0602120A**	41000	TDR&TXV	14		11.7
	EHD4X48A**	*9MVX060	41000	TDR&TXV	13.5		11.2
	EHD4X48A**	*9MVX080	41500	TDR&TXV	13.5		11.7
	EHD4X48A**	*9MVX100	41000	TDR&TXV	14		12
	EHD4X48A**	*9MX*1002116A**	41000	TDR&TXV	14.2		11.8
	EHD4X48A**	*9MV*1002116A**	41500	TDR&TXV	14		11.5
	EHD4X48A**	*9MA*1002120A**	41000	TDR&TXV	14.2		11.8
	EHD4X48A**	OLV112A16A	41500	TDR&TXV	13.5		11.2
	EHD4X48A**	OLV154F20A	42500	TDR&TXV	14		11.7
	EHD4X48A**	OMV112K14A	41000	TDR&TXV	13.5		11.5
	EHD4X48A**		41500	TXV		13	11
	EHD4X48A**	*8MPV075	41500	TDR&TXV	13.5		11.2
	EHD4X48A**	*8MPV100	41500	TDR&TXV	14		11.5
	EHD4X48A**	*8MPV125	42000	TDR&TXV	14		11.5
	EHD4X48A**	*9MPV075	41000	TDR&TXV	13.5		11.2

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342AKA	EHD4X48A**	*9MPV100	41500	TDR&TXV	14			11.5
	EHD4X48A**	*9MPV125	42000	TDR&TXV	13.5			11.2
	EHD4X48A**	MV12F19**B*	41000	TDR&TXV	14			12
	EHD4X48A**	MV16J22**B*	41000	TDR&TXV	14			12
	EHD4X48A**	MV20L24**B*	41000	TDR&TXV	14			12
	EMA4X48D**		41500	TXV		13.2		11
	EN(A,D)4X43*24**	*8MX*0902116**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1102120**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1352420**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1102120**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1352422**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*0802120A**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*1002120A**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*1202422A**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*0802120A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1002120A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1202422A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*0802120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1002122A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1202422A**	41500	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*0602120A**	41000	TDR&TXV	14			11.7
	EN(A,D)4X43*24**	*9MVX080	42000	TDR&TXV	14			11.7
	EN(A,D)4X43*24**	*9MVX100	42000	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MX*1002116A**	41500	TDR&TXV	14.2			11.8
	EN(A,D)4X43*24**	*9MV*1002116A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	OLV112A16A	42000	TDR&TXV	13.5			11.5
	EN(A,D)4X43*24**	OLV154F20A	42500	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MPV100	42000	TDR&TXV	14			12
	EN(A,D)4X43*24**	*9MPV125	42000	TDR&TXV	14			12
	EN(A,D)4X43*24**		41500	TXV		13		11
	EN(A,D)4X43*24**	*8MPV100	42500	TDR&TXV	14			12
	EN(A,D)4X43*24**	*8MPV125	42500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*8MX*1352420**	41000	TDR&TXV	14			12
	EN(A,D)4X48*24**	*8MV*1352422**	41000	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MV*1202422A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*1202422A**	40500	TDR&TXV	14.5			12
	EN(A,D)4X48*24**	*9MA*0602120A**	40500	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MVX080	41500	TDR&TXV	13.5			11.7
	EN(A,D)4X48*24**	*9MVX100	41500	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MX*1002116A**	41000	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	OLV112A16A	41000	TDR&TXV	13.5			11.5
	EN(A,D)4X48*24**	OLV154F20A	42000	TDR&TXV	14			11.7

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A342AKA	EN(A,D)4X48*24**		41500	TXV		13.2	11
	EN(A,D)4X48*24**	*9MPV100	41500	TDR&TXV	13.5		11.7
	EN(A,D)4X48*24**	*9MPV125	41500	TDR&TXV	14		11.7
	EN(A,D,W)4X42*21**	*8MX*0902116**	40500	TDR&TXV	14		11.7
	EN(A,D,W)4X42*21**	*8MX*1102120**	40500	TDR&TXV	14		12
	EN(A,D,W)4X42*21**	*8MV*1102120**	40500	TDR&TXV	14		11.5
	EN(A,D,W)4X42*21**	*9MX*0601714A**	40000	TDR&TXV	13.5		11.2
	EN(A,D,W)4X42*21**	*9MX*0801716A**	40000	TDR&TXV	13.5		11.2
	EN(A,D,W)4X42*21**	*9MX*0802120A**	40500	TDR&TXV	13.7		11.5
	EN(A,D,W)4X42*21**	*9MX*1002120A**	40000	TDR&TXV	14		11.7
	EN(A,D,W)4X42*21**	*9MV*0601714A**	40000	TDR&TXV	13.5		11.2
	EN(A,D,W)4X42*21**	*9MV*0801716A**	40000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X42*21**	*9MV*0802120A**	40000	TDR&TXV	14		11.5
	EN(A,D,W)4X42*21**	*9MV*1002120A**	40000	TDR&TXV	14		11.7
	EN(A,D,W)4X42*21**	*9MA*0601714A**	39500	TDR&TXV	13.5		11.2
	EN(A,D,W)4X42*21**	*9MA*0801714A**	40000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X42*21**	*9MA*0802120A**	40000	TDR&TXV	13.7		11.5
	EN(A,D,W)4X42*21**	*9MA*1002122A**	40500	TDR&TXV	14		11.7
	EN(A,D,W)4X42*21**	*9MA*0602120A**	40000	TDR&TXV	13.7		11.3
	EN(A,D,W)4X42*21**	*9MVX060	40000	TDR&TXV	13.2		11
	EN(A,D,W)4X42*21**	*9MVX080	40500	TDR&TXV	13.5		11.2
	EN(A,D,W)4X42*21**	*9MX*1002116A**	40000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X42*21**	*9MV*1002116A**	40000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X42*21**	*9MA*1002120A**	40000	TDR&TXV	14		11.5
	EN(A,D,W)4X42*21**	OLV112A16A	40500	TDR&TXV	13.2		11
	EN(A,D,W)4X42*21**	OMV112K14A	40000	TDR&TXV	13.5		11.2
	EN(A,D,W)4X42*21**		41000	TXV		13	11
	EN(A,D,W)4X42*21**	*9MPV075	40000	TDR&TXV	13.2		11
	EN(A,D,W)4X42*21**	*9MPV100	40500	TDR&TXV	13.5		11.2
	EN(A,D,W)4X48*21**	*8MX*0902116**	41000	TDR&TXV	14		12
	EN(A,D,W)4X48*21**	*8MX*1102120**	41000	TDR&TXV	14		12
	EN(A,D,W)4X48*21**	*8MV*1102120**	41000	TDR&TXV	14		11.5
	EN(A,D,W)4X48*21**	*9MX*0601714A**	41000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X48*21**	*9MX*0801716A**	41000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X48*21**	*9MX*0802120A**	41500	TDR&TXV	14		11.7
	EN(A,D,W)4X48*21**	*9MX*1002120A**	41000	TDR&TXV	14.5		12
	EN(A,D,W)4X48*21**	*9MV*0601714A**	41000	TDR&TXV	13.7		11.4
	EN(A,D,W)4X48*21**	*9MV*0801716A**	41000	TDR&TXV	14		11.5
	EN(A,D,W)4X48*21**	*9MV*0802120A**	41000	TDR&TXV	14		11.7
	EN(A,D,W)4X48*21**	*9MV*1002120A**	41000	TDR&TXV	14.5		12
	EN(A,D,W)4X48*21**	*9MA*0601714A**	40500	TDR&TXV	13.7		11.4
	EN(A,D,W)4X48*21**	*9MA*0801714A**	40500	TDR&TXV	14		11.5
	EN(A,D,W)4X48*21**	*9MA*0802120A**	40500	TDR&TXV	14.5		12
	EN(A,D,W)4X48*21**	*9MA*1002122A**	41000	TDR&TXV	14.5		12
	EN(A,D,W)4X48*21**	*9MA*0602120A**	40500	TDR&TXV	14		11.7
EN(A,D,W)4X48*21**	*9MVX060	41000	TDR&TXV	13.5		11.2	
EN(A,D,W)4X48*21**	*9MVX080	41500	TDR&TXV	13.5		11.7	
EN(A,D,W)4X48*21**	*9MX*1002116A**	41000	TDR&TXV	14.2		11.8	
EN(A,D,W)4X48*21**	*9MV*1002116A**	41000	TDR&TXV	14		11.5	
EN(A,D,W)4X48*21**	*9MA*1002120A**	40500	TDR&TXV	14.2		11.8	
EN(A,D,W)4X48*21**	OLV112A16A	41000	TDR&TXV	13.5		11.5	
EN(A,D,W)4X48*21**	OMV112K14A	41000	TDR&TXV	13.5		11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	EN(A,D,W)4X48*21**		41500	TXV		13.2		11
	EN(A,D,W)4X48*21**	*9MPV075	41000	TDR&TXV	13.2			11.2
	EN(A,D,W)4X48*21**	*9MPV100	41500	TDR&TXV	13.5			11.7
	END4X42*17**	*8MX*0701716**	40500	TDR&TXV	13.5			11.2
	END4X42*17**	*8MV*0901716**	40500	TDR&TXV	14			11.7
	END4X42*17**	*9MX*0601714A**	40500	TDR&TXV	13.7			11.4
	END4X42*17**	*9MX*0801716A**	40500	TDR&TXV	13.7			11.4
	END4X42*17**	*9MV*0601714A**	40500	TDR&TXV	13.5			11.2
	END4X42*17**	*9MV*0801716A**	40500	TDR&TXV	13.7			11.4
	END4X42*17**	*9MA*0601714A**	40000	TDR&TXV	13.7			11.4
	END4X42*17**	*9MA*0801714A**	40000	TDR&TXV	13.7			11.4
	END4X42*17**	*9MVX060	40500	TDR&TXV	13.2			11
	END4X42*17**	OMV112K14A	40500	TDR&TXV	13.5			11.2
	END4X42*17**		41000	TXV		13		11
	END4X42*17**	*9MPV075	40500	TDR&TXV	13.2			11
	ENH4X42*21**	*8MX*0701716**	40000	TDR&TXV	13.2			11.2
	ENH4X42*21**	*8MX*0902116**	40500	TDR&TXV	14			11.7
	ENH4X42*21**	*8MX*1102120**	40500	TDR&TXV	14			12
	ENH4X42*21**	*8MX*1352420**	40500	TDR&TXV	14			11.7
	ENH4X42*21**	*8MV*0701412**	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*0601714A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*0801716A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.5
	ENH4X42*21**	*9MX*1002120A**	40000	TDR&TXV	14			11.7
	ENH4X42*21**	*9MX*1202422A**	40500	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*0601714A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MV*0801716A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MV*0802120A**	40000	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*1002120A**	40000	TDR&TXV	14			11.7
	ENH4X42*21**	*9MV*1202422A**	40000	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0601714A**	39500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MA*0801714A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.5
	ENH4X42*21**	*9MA*1002122A**	40500	TDR&TXV	14			11.7
	ENH4X42*21**	*9MA*1202422A**	40000	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0602120A**	40000	TDR&TXV	13.7			11.3
	ENH4X42*21**	*9MVX060	40000	TDR&TXV	13.2			11
	ENH4X42*21**	*9MVX080	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MVX100	40500	TDR&TXV	13.5			11.5
	ENH4X42*21**	*9MX*1002116A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MV*1002116A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*1002120A**	40000	TDR&TXV	14			11.5
	ENH4X42*21**	OLV112A16A	40500	TDR&TXV	13.2			11
	ENH4X42*21**	OLV154F20A	41000	TDR&TXV	13.5			11.2
ENH4X42*21**	OMV112K14A	40000	TDR&TXV	13.5			11.2	
ENH4X42*21**		41000	TXV		13		11	
ENH4X42*21**	*9MPV075	40000	TDR&TXV	13.2			11	
ENH4X42*21**	*9MPV100	40500	TDR&TXV	13.5			11.2	
ENH4X42*21**	*9MPV125	40500	TDR&TXV	13.5			11.5	
ENH4X43*21**	*8MX*0701716**	41500	TDR&TXV	13.5			11	
ENH4X43*21**	*8MX*0902116**	41500	TDR&TXV	14			12	
ENH4X43*21**	*8MX*1102120**	41500	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	ENH4X43*21**	*8MX*1352420**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*0701412**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*8MV*0901716**	41500	TDR&TXV	14			12
	ENH4X43*21**	*8MV*1102120**	41500	TDR&TXV	14			12
	ENH4X43*21**	*8MV*1352422**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*0601714A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*0801716A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*0802120A**	42000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*1002120A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*1202422A**	42000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*0601714A**	41000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MV*0801716A**	41500	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MV*0802120A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1002120A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1202422A**	41000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0601714A**	41000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MA*0801714A**	41000	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MA*0802120A**	41000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1002122A**	41500	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1202422A**	41000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0602120A**	41000	TDR&TXV	14			11.7
	ENH4X43*21**	*9MVX060	41500	TDR&TXV	13.5			11.2
	ENH4X43*21**	*9MVX080	42000	TDR&TXV	14			11.7
	ENH4X43*21**	*9MVX100	42000	TDR&TXV	14			12
	ENH4X43*21**	*9MX*1002116A**	41500	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MV*1002116A**	41000	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MA*1002120A**	41000	TDR&TXV	14.2			11.8
	ENH4X43*21**	OLV112A16A	41500	TDR&TXV	13.5			11.5
	ENH4X43*21**	OLV154F20A	42500	TDR&TXV	14			11.7
	ENH4X43*21**	OMV112K14A	41500	TDR&TXV	14			11.7
	ENH4X43*21**	*9MPV075	41500	TDR&TXV	13.2			11.2
	ENH4X43*21**	*9MPV100	42000	TDR&TXV	14			11.7
	ENH4X43*21**	*9MPV125	42000	TDR&TXV	14			12
	ENH4X43*21**		41500	TXV		13		11
	ENH4X43*21**	*8MPV075	41500	TDR&TXV	13.5			11.5
	ENH4X43*21**	*8MPV100	41500	TDR&TXV	14			12
	ENH4X43*21**	*8MPV125	41500	TDR&TXV	14.5			12
	ENH4X48*21**	*8MX*0701716**	41000	TDR&TXV	13.5			11.2
	ENH4X48*21**	*8MX*0902116**	41000	TDR&TXV	14			12
	ENH4X48*21**	*8MX*1102120**	41000	TDR&TXV	14			12
	ENH4X48*21**	*8MX*1352420**	41000	TDR&TXV	14			12
	ENH4X48*21**	*8MV*0701412**	41000	TDR&TXV	13.5			11.2
	ENH4X48*21**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MX*0801716A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MX*0802120A**	41500	TDR&TXV	14			11.7
	ENH4X48*21**	*9MX*1002120A**	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MV*0601714A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MV*0801716A**	41000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MV*0802120A**	41000	TDR&TXV	14			11.7
	ENH4X48*21**	*9MV*1002120A**	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MV*1202422A**	41000	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342AKA	ENH4X48*21**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MA*0801714A**	40500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MA*0802120A**	40500	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*1002122A**	41000	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*1202422A**	40500	TDR&TXV	14.5			12
	ENH4X48*21**	*9MA*0602120A**	40500	TDR&TXV	14			11.7
	ENH4X48*21**	*9MVX060	41000	TDR&TXV	13.2			11.2
	ENH4X48*21**	*9MVX080	41500	TDR&TXV	13.5			11.7
	ENH4X48*21**	*9MVX100	41500	TDR&TXV	14			11.7
	ENH4X48*21**	*9MX*1002116A**	41000	TDR&TXV	14.2			11.8
	ENH4X48*21**	*9MV*1002116A**	41000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MA*1002120A**	40500	TDR&TXV	14.2			11.8
	ENH4X48*21**	OLV112A16A	41000	TDR&TXV	13.5			11.5
	ENH4X48*21**	OLV154F20A	42000	TDR&TXV	14			11.7
	ENH4X48*21**	OMV112K14A	41000	TDR&TXV	13.5			11.5
	ENH4X48*21**		41500	TXV			13.2	11
	ENH4X48*21**	*9MPV075	41000	TDR&TXV	13.2			11
	ENH4X48*21**	*9MPV100	41500	TDR&TXV	13.5			11.7
	ENH4X48*21**	*9MPV125	41500	TDR&TXV	14			11.7

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models								
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.								
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348AKB	*ED*4X48J**		46000	TXV		13.2		11
	FEM4P48**A*		44500	TDR	13			11
	FEM4P48**A*		46000	TDR			13.5	11
	FEM4P60**A*		45500	TDR	13.5			11.5
	FEM4X48****		46500	TDR&TXV	13.5			11.7
	FEM4X60****		47500	TDR&TXV	14			12
	FEM4X60**B*		46500	TDR&TXV	14			11.5
	FS(M,U)4P48**A*		45500	TDR	13			11
	FS(M,U)4P48**A*		46500	TDR			13.5	11
	FS(M,U)4X48****		45500	TDR&TXV	13.2			11.2
	FS(M,U)4X60****		46500	TDR&TXV	13.2			11.2
	FVM4X48****		46000	TDR&TXV	14			12
	FVM4X60****		46500	TDR&TXV	14.5			12.2
	FXM4X48**A*		46500	TDR&TXV	14.5			12
	FXM4X60**A*		47000	TDR&TXV	14.5			12
	EA*4X48*17A*	*8MV*0901716**	45500	TDR&TXV	13.7			11.3
	EA*4X48*17A*	*9MX*0801716A**	45000	TDR&TXV	13.5			11.2
	EA*4X48*17A*		45000	TXV		13.2		11
	EA*4X48*21A*	*8MX*0902116**	45000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*8MX*1102120**	45000	TDR&TXV	14			11.7
	EA*4X48*21A*	*8MV*0901716**	45000	TDR&TXV	13.7			11.3
	EA*4X48*21A*	*8MV*1102120**	45000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MX*0801716A**	44500	TDR&TXV	13.3			11
	EA*4X48*21A*	*9MX*0802120A**	45000	TDR&TXV	13.7			11.3
	EA*4X48*21A*	*9MX*1002120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MV*0801716A**	44500	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MV*1002120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MA*0802120A**	44500	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MA*1002122A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*9MA*0602120A**	44500	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MX*1002116A**	45000	TDR&TXV	13.5			11.2
	EA*4X48*21A*	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	EA*4X48*21A*	*9MA*1002120A**	44500	TDR&TXV	13.7			11.4
	EA*4X48*21A*		46000	TXV		13.2		11
	EA*4X48*24A*	*8MX*0902116**	45500	TDR&TXV	14			11.5
	EA*4X48*24A*	*8MX*1102120**	45500	TDR&TXV	14			11.7
	EA*4X48*24A*	*8MX*1352420**	45500	TDR&TXV	14			11.5
	EA*4X48*24A*	*8MV*1102120**	45000	TDR&TXV	14			11.5
	EA*4X48*24A*	*8MV*1352422**	45000	TDR&TXV	14			11.7
	EA*4X48*24A*	*9MX*0802120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*24A*	*9MX*1002120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*24A*	*9MX*1202422A**	45000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*24A*	*9MV*1002120A**	45000	TDR&TXV	13.7			11.5
	EA*4X48*24A*	*9MV*1202422A**	45000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MA*0802120A**	44500	TDR&TXV	13.7			11.5
	EA*4X48*24A*	*9MA*1002122A**	45000	TDR&TXV	14			11.5

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348AKB	EA*4X48*24A*	*9MA*1202422A**	45000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MA*0602120A**	44500	TDR&TXV	13.5			11.3
	EA*4X48*24A*	*9MX*1002116A**	45000	TDR&TXV	13.7			11.4
	EA*4X48*24A*	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	EA*4X48*24A*	*9MA*1002120A**	44500	TDR&TXV	13.7			11.4
	EA*4X48*24A*		45500	TXV		13.2		11
	EA*4X60*21A*	*8MX*0902116**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*8MX*1102120**	46000	TDR&TXV	14.5			12
	EA*4X60*21A*	*8MV*0901716**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*8MV*1102120**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MX*0801716A**	45500	TDR&TXV	13.7			11.4
	EA*4X60*21A*	*9MX*0802120A**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MX*1002120A**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MV*0801716A**	45500	TDR&TXV	14			11.5
	EA*4X60*21A*	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MV*1002120A**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MA*0802120A**	45500	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MA*1002122A**	46000	TDR&TXV	14			11.7
	EA*4X60*21A*	*9MA*0602120A**	45500	TDR&TXV	13.7			11.7
	EA*4X60*21A*	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	EA*4X60*21A*	*9MV*1002116A**	46000	TDR&TXV	13.7			11.4
	EA*4X60*21A*	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	EA*4X60*21A*		46000	TXV		13.2		11.2
	EA*4X60*24A*	*8MX*0902116**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*8MX*1102120**	46000	TDR&TXV	14.5			12
	EA*4X60*24A*	*8MX*1352420**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*8MV*1102120**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*8MV*1352422**	46000	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MX*0802120A**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*9MX*1002120A**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*9MX*1202422A**	46000	TDR&TXV	14.2			11.8
	EA*4X60*24A*	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*9MV*1002120A**	46000	TDR&TXV	14			11.7
	EA*4X60*24A*	*9MV*1202422A**	46000	TDR&TXV	14.2			11.8
	EA*4X60*24A*	*9MA*0802120A**	45500	TDR&TXV	14			11.7
	EA*4X60*24A*	*9MA*1002122A**	46000	TDR&TXV	14.5			12
	EA*4X60*24A*	*9MA*1202422A**	45500	TDR&TXV	14.2			11.8
	EA*4X60*24A*	*9MA*0602120A**	45500	TDR&TXV	13.7			11.5
	EA*4X60*24A*	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	EA*4X60*24A*	*9MV*1002116A**	46000	TDR&TXV	13.7			11.4
	EA*4X60*24A*	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	EA*4X60*24A*		46500	TXV		13.2		11.2
	ED*4X48F**	*8MX*0701716**	45000	TDR&TXV				10.8
	ED*4X48F**	*8MV*0901716**	45000	TDR&TXV	13.5			11.5
	ED*4X48F**	*9MX*0802120A**	45500	TDR&TXV	13.7			11.5
ED*4X48F**	*9MX*1002120A**	45500	TDR&TXV	13.7			11.5	
ED*4X48F**	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5	
ED*4X48F**	*9MV*1002120A**	45500	TDR&TXV	13.7			11.5	
ED*4X48F**	*9MA*0802120A**	45000	TDR&TXV	13.7			11.5	
ED*4X48F**	*9MA*1002122A**	45500	TDR&TXV	13.7			11.5	
ED*4X48F**	*9MA*0602120A**	45000	TDR&TXV	13.5			11.3	
ED*4X48F**	*9MX*1002116A**	45000	TDR&TXV	13.7			11.4	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348AKB	ED*4X48F**	*9MV*1002116A**	45500	TDR&TXV	13.5			11.2
	ED*4X48F**	*9MA*1002120A**	45000	TDR&TXV	13.7			11.4
	ED*4X48F**	OLV112A16A	45500	TDR&TXV	13			11
	ED*4X48F**		45000	TXV		13.2		11
	ED*4X48J**	*8MX*0902116**	45000	TDR&TXV	13.5			11.7
	ED*4X48J**	*8MX*1102120**	45000	TDR&TXV	14			11.7
	ED*4X48J**	*8MV*1102120**	45000	TDR&TXV	13.5			11.7
	ED*4X48J**	*9MX*0802120A**	45000	TDR&TXV	13.7			11.3
	ED*4X48J**	*9MX*1002120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MX*1202422A**	45000	TDR&TXV	13.7			11.4
	ED*4X48J**	*9MX*1202422A**	45000	TDR&TXV	13.7			11.4
	ED*4X48J**	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MV*1002120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MV*1202422A**	45000	TDR&TXV	14			11.5
	ED*4X48J**	*9MA*0802120A**	44500	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MA*1002122A**	45000	TDR&TXV	13.7			11.5
	ED*4X48J**	*9MA*1202422A**	44500	TDR&TXV	14			11.5
	ED*4X48J**	*9MA*1202422A**	44500	TDR&TXV	14			11.5
	ED*4X48J**	*9MA*0602120A**	44500	TDR&TXV	13.5			11.3
	ED*4X48J**	*9MVX080	45500	TDR&TXV	13.2			11.2
	ED*4X48J**	*9MX*1002116A**	45000	TDR&TXV	13.5			11.2
	ED*4X48J**	*9MX*1002116A**	45000	TDR&TXV	13.5			11.2
	ED*4X48J**	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	ED*4X48J**	*9MA*1002120A**	44500	TDR&TXV	13.7			11.4
	ED*4X48J**	*9MA*1002120A**	44500	TDR&TXV	13.7			11.4
	ED*4X48J**	OLV112A16A	45000	TDR&TXV	13			11
	ED*4X48J**	*8MPV100	45000	TDR&TXV	13.5			11.5
	ED*4X48J**	*8MPV125	45000	TDR&TXV	13.5			11.7
	ED*4X48J**	*9MPV100	45000	TDR&TXV	13.2			11.2
	ED*4X48J**	MV16J22**B*	45000	TDR&TXV	14			12
	ED*4X48L**	*8MX*1352420**	45500	TDR&TXV	13.5			11.7
	ED*4X48L**	*8MV*1352422**	45000	TDR&TXV	14			11.7
	ED*4X48L**	*9MX*0802120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48L**	*9MX*1002120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48L**	*9MX*1202422A**	45000	TDR&TXV	14			11.5
	ED*4X48L**	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48L**	*9MV*1002120A**	45000	TDR&TXV	13.7			11.5
	ED*4X48L**	*9MV*1202422A**	45000	TDR&TXV	14			11.5
	ED*4X48L**	*9MA*0802120A**	44500	TDR&TXV	13.7			11.5
	ED*4X48L**	*9MA*1002122A**	45000	TDR&TXV	14			11.5
	ED*4X48L**	*9MA*1202422A**	45000	TDR&TXV	14			11.5
	ED*4X48L**	*9MA*0602120A**	44500	TDR&TXV	13.5			11.3
	ED*4X48L**	*9MVX100	45000	TDR&TXV	13.5			11.5
	ED*4X48L**	*9MX*1002116A**	45000	TDR&TXV	13.7			11.4
	ED*4X48L**	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	ED*4X48L**	*9MA*1002120A**	44500	TDR&TXV	13.7			11.4
	ED*4X48L**	OLV112A16A	45000	TDR&TXV	13			11
	ED*4X48L**	OLV154F20A	46000	TDR&TXV	13.2			11.2
	ED*4X48L**	--	46000	TXV	--	13.2		11
	ED*4X48L**	*9MPV125	45500	TDR&TXV	13.5			11.5
	ED*4X48L**	MV20L24**B*	45500	TDR&TXV	14			12
	ED*4X60J**	*8MX*0902116**	46000	TDR&TXV	14			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348AKB	ED*4X60J**	*8MX*1102120**	46000	TDR&TXV	14			12
	ED*4X60J**	*8MV*1102120**	46000	TDR&TXV	14			12
	ED*4X60J**	*9MX*0802120A**	46000	TDR&TXV	14			11.7
	ED*4X60J**	*9MX*1002120A**	46000	TDR&TXV	14			11.7
	ED*4X60J**	*9MX*1202422A**	46000	TDR&TXV	14.2			11.8
	ED*4X60J**	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	ED*4X60J**	*9MV*1002120A**	46000	TDR&TXV	14			11.7
	ED*4X60J**	*9MV*1202422A**	46000	TDR&TXV	14.2			11.8
	ED*4X60J**	*9MA*0802120A**	45500	TDR&TXV	14			11.7
	ED*4X60J**	*9MA*1002122A**	46000	TDR&TXV	14			11.7
	ED*4X60J**	*9MA*1202422A**	45500	TDR&TXV	14.2			11.8
	ED*4X60J**	*9MA*0602120A**	45500	TDR&TXV	13.7			11.5
	ED*4X60J**	*9MVX080	46500	TDR&TXV	13.5			11.7
	ED*4X60J**	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	ED*4X60J**	*9MV*1002116A**	46000	TDR&TXV	13.7			11.4
	ED*4X60J**	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	ED*4X60J**	OLV112A16A	46000	TDR&TXV	13.2			11.2
	ED*4X60J**		46000	TXV			13.2	11.2
	ED*4X60J**	*8MPV100	46000	TDR&TXV	14			11.7
	ED*4X60J**	*8MPV125	46000	TDR&TXV	14			12
	ED*4X60J**	*9MPV100	46000	TDR&TXV	13.5			11.7
	ED*4X60J**	MV16J22**B*	46000	TDR&TXV	14.5			12.2
	ED*4X60L**	*8MX*1352420**	46000	TDR&TXV	14			12
	ED*4X60L**	*8MV*1352422**	46000	TDR&TXV	14			12
	ED*4X60L**	*9MX*0802120A**	46000	TDR&TXV	14			11.7
	ED*4X60L**	*9MX*1002120A**	46000	TDR&TXV	14			11.7
	ED*4X60L**	*9MX*1202422A**	46000	TDR&TXV	14.2			11.8
	ED*4X60L**	*9MX*1202422A**	46000	TDR&TXV	14.2			11.8
	ED*4X60L**	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	ED*4X60L**	*9MV*1002120A**	46000	TDR&TXV	14			11.7
	ED*4X60L**	*9MV*1202422A**	46000	TDR&TXV	14.2			11.8
	ED*4X60L**	*9MA*0802120A**	45500	TDR&TXV	14			11.7
	ED*4X60L**	*9MA*1002122A**	46000	TDR&TXV	14.5			12
	ED*4X60L**	*9MA*1202422A**	45500	TDR&TXV	14.2			11.8
	ED*4X60L**	*9MA*1202422A**	45500	TDR&TXV	14.2			11.8
	ED*4X60L**	*9MA*0602120A**	45500	TDR&TXV	13.7			11.5
	ED*4X60L**	*9MVX100	46000	TDR&TXV	13.5			11.7
	ED*4X60L**	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	ED*4X60L**	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	ED*4X60L**	*9MV*1002116A**	46000	TDR&TXV	13.7			11.4
	ED*4X60L**	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	ED*4X60L**	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	ED*4X60L**	OLV112A16A	46000	TDR&TXV	13.2			11.2
	ED*4X60L**	OLV154F20A	46500	TDR&TXV	13.5			11.5
	ED*4X60L**		46500	TXV			13.2	11.2
	ED*4X60L**	*9MPV125	46500	TDR&TXV	13.5			11.7
	ED*4X60L**	MV20L24**B*	46500	TDR&TXV	14.5			12.2
	EHD4X48A**	*9MX*0801716A**	45000	TDR&TXV	13.5			11.2
	EHD4X48A**	*9MX*0802120A**	45500	TDR&TXV	13.7			11.5
	EHD4X48A**	*9MX*1002120A**	45500	TDR&TXV	13.7			11.5
EHD4X48A**	*9MX*1202422A**	45500	TDR&TXV	14			11.5	
EHD4X48A**	*9MV*0801716A**	45000	TDR&TXV	13.7			11.4	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348AKB	EHD4X48A**	*9MV*0802120A**	45500	TDR&TXV	13.7		11.5	
	EHD4X48A**	*9MV*1002120A**	45500	TDR&TXV	14		11.7	
	EHD4X48A**	*9MV*1202422A**	45500	TDR&TXV	14		11.5	
	EHD4X48A**	*9MA*0802120A**	45000	TDR&TXV	14		11.5	
	EHD4X48A**	*9MA*1002122A**	45500	TDR&TXV	14		11.7	
	EHD4X48A**	*9MA*1202422A**	45000	TDR&TXV	14		11.5	
	EHD4X48A**	*9MA*0602120A**	45000	TDR&TXV	13.5		11.5	
	EHD4X48A**	*9MVX080	45500	TDR&TXV	13.2		11.2	
	EHD4X48A**	*9MVX100	45000	TDR&TXV	13.5		11.5	
	EHD4X48A**	*9MX*1002116A**	45500	TDR&TXV	13.7		11.4	
	EHD4X48A**	*9MV*1002116A**	45500	TDR&TXV	13.5		11.2	
	EHD4X48A**	*9MA*1002120A**	45000	TDR&TXV	13.7		11.4	
	EHD4X48A**	OLV112A16A	45500	TDR&TXV	13		11	
	EHD4X48A**	OLV154F20A	46000	TDR&TXV	13.2		11.2	
	EHD4X48A**		46000	TXV		13.2	11	
	EHD4X48A**	*8MPV100	46000	TDR&TXV	13.5		11.5	
	EHD4X48A**	*8MPV125	46000	TDR&TXV	13.5		11.7	
	EHD4X48A**	*9MPV100	45500	TDR&TXV	13.2		11.2	
	EHD4X48A**	*9MPV125	45500	TDR&TXV	13.5		11.5	
	EHD4X48A**	MV16J22**B*	46000	TDR&TXV	14		12	
	EHD4X48A**	MV20L24**B*	46000	TDR&TXV	14		12	
	EHD4X60A**	*9MX*0801716A**	46000	TDR&TXV	13.7		11.4	
	EHD4X60A**	*9MX*0802120A**	46500	TDR&TXV	14		11.7	
	EHD4X60A**	*9MX*1002120A**	46500	TDR&TXV	14		11.7	
	EHD4X60A**	*9MX*1202422A**	46500	TDR&TXV	14.2		11.8	
	EHD4X60A**	*9MV*0801716A**	46000	TDR&TXV	13.7		11.4	
	EHD4X60A**	*9MV*0802120A**	46000	TDR&TXV	14		11.7	
	EHD4X60A**	*9MV*1002120A**	46500	TDR&TXV	14.5		12	
	EHD4X60A**	*9MV*1202422A**	46500	TDR&TXV	14.2		11.8	
	EHD4X60A**	*9MA*0802120A**	46000	TDR&TXV	14.5		12	
	EHD4X60A**	*9MA*1002122A**	46000	TDR&TXV	14.5		12	
	EHD4X60A**	*9MA*1202422A**	46000	TDR&TXV	14.5		12	
	EHD4X60A**	*9MA*0602120A**	45500	TDR&TXV	13.7		11.7	
	EHD4X60A**	*9MVX080	46500	TDR&TXV	13.5		11.7	
	EHD4X60A**	*9MVX100	46000	TDR&TXV	13.5		11.7	
	EHD4X60A**	*9MX*1002116A**	46000	TDR&TXV	14		11.5	
	EHD4X60A**	*9MV*1002116A**	46500	TDR&TXV	13.7		11.4	
	EHD4X60A**	*9MA*1002120A**	46000	TDR&TXV	14.2		11.8	
	EHD4X60A**	OLV112A16A	46000	TDR&TXV	13.5		11.2	
	EHD4X60A**	OLV154F20A	46500	TDR&TXV	13.5		11.5	
	EHD4X60A**		46500	TXV		13.2	11.2	
	EHD4X60A**	*8MPV100	46500	TDR&TXV	14		11.7	
EHD4X60A**	*8MPV125	46500	TDR&TXV	14		12		
EHD4X60A**	*9MPV100	46500	TDR&TXV	13.5		11.7		
EHD4X60A**	*9MPV125	46500	TDR&TXV	13.5		11.7		
EHD4X60A**	MV16J22**B*	46500	TDR&TXV	14.5		12.2		
EHD4X60A**	MV20L24**B*	46500	TDR&TXV	14.5		12.2		
EMA4X48D**		45000	TXV		13.2	11		
EN(A,D)4X48*24**	*8MX*1352420**	45500	TDR&TXV	13.5		11.7		
EN(A,D)4X48*24**	*8MV*1352422**	45000	TDR&TXV	14		11.7		
EN(A,D)4X48*24**	*9MX*0802120A**	45500	TDR&TXV	13.7		11.5		
EN(A,D)4X48*24**	*9MX*1002120A**	45500	TDR&TXV	13.7		11.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348AKB	EN(A,D)4X48*24**	*9MX*1202422A**	45500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	EN(A,D)4X48*24**	*9MV*1002120A**	45000	TDR&TXV	13.7			11.5
	EN(A,D)4X48*24**	*9MV*1202422A**	45500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MA*0802120A**	45000	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MA*1002122A**	45000	TDR&TXV	14			11.7
	EN(A,D)4X48*24**	*9MA*1202422A**	45000	TDR&TXV	14.2			11.8
	EN(A,D)4X48*24**	*9MA*0602120A**	44500	TDR&TXV	13.5			11.3
	EN(A,D)4X48*24**	*9MVX080	45500	TDR&TXV	13.2			11.2
	EN(A,D)4X48*24**	*9MVX100	45500	TDR&TXV	13.5			11.2
	EN(A,D)4X48*24**	*9MX*1002116A**	45000	TDR&TXV	13.7			11.4
	EN(A,D)4X48*24**	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	EN(A,D)4X48*24**	*9MA*1002120A**	45000	TDR&TXV	13.7			11.4
	EN(A,D)4X48*24**	OLV112A16A	45000	TDR&TXV	13.2			11
	EN(A,D)4X48*24**	OLV154F20A	46000	TDR&TXV	13.2			11.2
	EN(A,D)4X48*24**		45500	TXV			13.2	11
	EN(A,D)4X48*24**	*9MPV100	45500	TDR&TXV	13.2			11.2
	EN(A,D)4X48*24**	*9MPV125	45500	TDR&TXV	13.5			11.2
	EN(A,D)4X61*24**	*8MX*0902116**	46500	TDR&TXV	14			12
	EN(A,D)4X61*24**	*8MX*1102120**	46500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*8MX*1352420**	46500	TDR&TXV	14			12
	EN(A,D)4X61*24**	*8MV*1102120**	46000	TDR&TXV	14			12
	EN(A,D)4X61*24**	*8MV*1352422**	46000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MX*0802120A**	46500	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MX*1002120A**	46500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MX*1202422A**	47000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MV*0802120A**	46500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MV*1002120A**	46500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MV*1202422A**	46000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MA*0802120A**	46000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MA*1002122A**	46500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MA*1202422A**	46000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MA*0602120A**	46000	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MVX080	46500	TDR&TXV	13.5			11.5
	EN(A,D)4X61*24**	*9MVX100	46000	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MX*1002116A**	46500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*9MV*1002116A**	46000	TDR&TXV	14.2			11.8
	EN(A,D)4X61*24**	*9MA*1002120A**	46000	TDR&TXV	14.2			11.8
	EN(A,D)4X61*24**	OLV112A16A	46000	TDR&TXV	13.5			11.2
	EN(A,D)4X61*24**	OLV154F20A	47000	TDR&TXV	13.5			11.7
	EN(A,D)4X61*24**	*9MPV100	46500	TDR&TXV	13.5			11.5
	EN(A,D)4X61*24**	*9MPV125	46500	TDR&TXV	14			11.7
	EN(A,D)4X61*24**		46500	TXV			13	11
	EN(A,D)4X61*24**	*8MPV100	46500	TDR&TXV	14			12
	EN(A,D)4X61*24**	*8MPV125	46500	TDR&TXV	14			12
EN(A,D,W)4X48*21**	*8MX*0902116**	45000	TDR&TXV	13.5			11.7	
EN(A,D,W)4X48*21**	*8MX*1102120**	45000	TDR&TXV	14			11.7	
EN(A,D,W)4X48*21**	*8MV*1102120**	45000	TDR&TXV	13.5			11.7	
EN(A,D,W)4X48*21**	*9MX*0801716A**	45000	TDR&TXV	13.3			11	
EN(A,D,W)4X48*21**	*9MX*0802120A**	45500	TDR&TXV	13.7			11.5	
EN(A,D,W)4X48*21**	*9MX*1002120A**	45500	TDR&TXV	13.7			11.5	
EN(A,D,W)4X48*21**	*9MV*0801716A**	45000	TDR&TXV	13.3			11	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348AKB	EN(A,D,W)4X48*21**	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X48*21**	*9MV*1002120A**	45000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X48*21**	*9MA*0802120A**	45000	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MA*1002122A**	45000	TDR&TXV	14			11.7
	EN(A,D,W)4X48*21**	*9MA*0602120A**	44500	TDR&TXV	13.5			11.5
	EN(A,D,W)4X48*21**	*9MVX080	45500	TDR&TXV	13.2			11.2
	EN(A,D,W)4X48*21**	*9MX*1002116A**	45000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X48*21**	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X48*21**	*9MA*1002120A**	45000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X48*21**	OLV112A16A	45000	TDR&TXV	13.2			11
	EN(A,D,W)4X48*21**		45500	TXV		13.2		11
	EN(A,D,W)4X48*21**	*9MPV100	45500	TDR&TXV	13.5			11.2
	EN(A,D,W)4X60*24**	*8MX*1352420**	46000	TDR&TXV	14			12
	EN(A,D,W)4X60*24**	*8MV*1352422**	46000	TDR&TXV	14			12
	EN(A,D,W)4X60*24**	*9MX*0802120A**	46000	TDR&TXV	14			11.7
	EN(A,D,W)4X60*24**	*9MX*1002120A**	46000	TDR&TXV	14			11.7
	EN(A,D,W)4X60*24**	*9MX*1202422A**	46000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X60*24**	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	EN(A,D,W)4X60*24**	*9MV*1002120A**	46000	TDR&TXV	14			11.7
	EN(A,D,W)4X60*24**	*9MV*1202422A**	46000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X60*24**	*9MA*0802120A**	45500	TDR&TXV	14			11.7
	EN(A,D,W)4X60*24**	*9MA*1002122A**	46000	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	*9MA*1202422A**	45500	TDR&TXV	14.2			11.8
	EN(A,D,W)4X60*24**	*9MA*0602120A**	45500	TDR&TXV	13.7			11.5
	EN(A,D,W)4X60*24**	*9MVX080	46000	TDR&TXV	13.5			11.5
	EN(A,D,W)4X60*24**	*9MVX100	46000	TDR&TXV	13.5			11.5
	EN(A,D,W)4X60*24**	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X60*24**	*9MV*1002116A**	46000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X60*24**	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	OLV112A16A	46000	TDR&TXV	13.2			11.2
	EN(A,D,W)4X60*24**	OLV154F20A	46500	TDR&TXV	13.5			11.5
	EN(A,D,W)4X60*24**		46500	TXV		13.2		11.2
	EN(A,D,W)4X60*24**	*9MPV100	46000	TDR&TXV	13.5			11.5
	EN(A,D,W)4X60*24**	*9MPV125	46000	TDR&TXV	13.5			11.5
	ENH4X48*21**	*8MX*0701716**	45000	TDR&TXV				10.8
	ENH4X48*21**	*8MX*0902116**	45000	TDR&TXV	13.5			11.7
	ENH4X48*21**	*8MX*1102120**	45000	TDR&TXV	14			11.7
	ENH4X48*21**	*8MX*1352420**	45500	TDR&TXV	13.5			11.7
	ENH4X48*21**	*8MV*0901716**	45000	TDR&TXV	13.5			11.7
	ENH4X48*21**	*8MV*1102120**	45000	TDR&TXV	13.5			11.7
	ENH4X48*21**	*8MV*1352422**	45000	TDR&TXV	14			11.7
	ENH4X48*21**	*9MX*0801716A**	45000	TDR&TXV	13.3			11
	ENH4X48*21**	*9MX*0802120A**	45500	TDR&TXV	13.7			11.5
	ENH4X48*21**	*9MX*1002120A**	45500	TDR&TXV	13.7			11.5
	ENH4X48*21**	*9MX*1202422A**	45500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MV*0801716A**	45000	TDR&TXV	13.3			11
	ENH4X48*21**	*9MV*0802120A**	45000	TDR&TXV	13.7			11.5
	ENH4X48*21**	*9MV*1002120A**	45000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MV*1202422A**	45500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MA*0802120A**	45000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MA*1002122A**	45000	TDR&TXV	14			11.7
	ENH4X48*21**	*9MA*1202422A**	45000	TDR&TXV	14.2			11.8

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348AKB	ENH4X48*21**	*9MA*0602120A**	44500	TDR&TXV	13.5			11.5
	ENH4X48*21**	*9MVX080	45500	TDR&TXV	13.2			11.2
	ENH4X48*21**	*9MVX100	45500	TDR&TXV	13.5			11.2
	ENH4X48*21**	*9MX*1002116A**	45000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MV*1002116A**	45000	TDR&TXV	13.5			11.2
	ENH4X48*21**	*9MA*1002120A**	45000	TDR&TXV	13.7			11.4
	ENH4X48*21**	OLV112A16A	45000	TDR&TXV	13.2			11
	ENH4X48*21**	OLV154F20A	46000	TDR&TXV	13.2			11.2
	ENH4X48*21**		45500	TXV		13.2		11
	ENH4X48*21**	*9MPV100	45500	TDR&TXV	13.5			11.2
	ENH4X48*21**	*9MPV125	45500	TDR&TXV	13.5			11.2
	ENH4X60*24**	*8MX*0701716**	46000	TDR&TXV	13			11
	ENH4X60*24**	*8MX*0902116**	46000	TDR&TXV	14			11.7
	ENH4X60*24**	*8MX*1102120**	46000	TDR&TXV	14			12
	ENH4X60*24**	*8MX*1352420**	46000	TDR&TXV	14			12
	ENH4X60*24**	*8MV*0901716**	46000	TDR&TXV	14			11.7
	ENH4X60*24**	*8MV*1102120**	46000	TDR&TXV	14			12
	ENH4X60*24**	*8MV*1352422**	46000	TDR&TXV	14			12
	ENH4X60*24**	*9MX*0801716A**	45500	TDR&TXV	13.7			11.4
	ENH4X60*24**	*9MX*0802120A**	46000	TDR&TXV	14			11.7
	ENH4X60*24**	*9MX*1002120A**	46000	TDR&TXV	14			11.7
	ENH4X60*24**	*9MX*1202422A**	46000	TDR&TXV	14.2			11.8
	ENH4X60*24**	*9MV*0801716A**	46000	TDR&TXV	13.7			11.4
	ENH4X60*24**	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	ENH4X60*24**	*9MV*1002120A**	46000	TDR&TXV	14			11.7
	ENH4X60*24**	*9MV*1202422A**	46000	TDR&TXV	14.2			11.8
	ENH4X60*24**	*9MA*0802120A**	45500	TDR&TXV	14			11.7
	ENH4X60*24**	*9MA*1002122A**	46000	TDR&TXV	14.5			12
	ENH4X60*24**	*9MA*1202422A**	45500	TDR&TXV	14.2			11.8
	ENH4X60*24**	*9MA*0602120A**	45500	TDR&TXV	13.7			11.7
	ENH4X60*24**	*9MVX080	46000	TDR&TXV	13.5			11.5
	ENH4X60*24**	*9MVX100	46000	TDR&TXV	13.5			11.5
	ENH4X60*24**	*9MX*1002116A**	46000	TDR&TXV	13.7			11.4
	ENH4X60*24**	*9MV*1002116A**	46000	TDR&TXV	13.7			11.4
	ENH4X60*24**	*9MA*1002120A**	45500	TDR&TXV	14			11.5
	ENH4X60*24**	OLV112A16A	46000	TDR&TXV	13.2			11.2
	ENH4X60*24**	OLV154F20A	46500	TDR&TXV	13.5			11.5
	ENH4X60*24**		46500	TXV		13.2		11.2
	ENH4X60*24**	*9MPV100	46000	TDR&TXV	13.5			11.5
	ENH4X60*24**	*9MPV125	46000	TDR&TXV	13.5			11.5
	ENH4X61*24**	*8MX*0701716**	46000	TDR&TXV	13			11
	ENH4X61*24**	*8MX*0902116**	46000	TDR&TXV	14			11.7
ENH4X61*24**	*8MX*1102120**	46000	TDR&TXV	14			12	
ENH4X61*24**	*8MX*1352420**	46000	TDR&TXV	14			12	
ENH4X61*24**	*8MV*0901716**	46000	TDR&TXV	14			11.5	
ENH4X61*24**	*8MV*1102120**	46000	TDR&TXV	14			11.7	
ENH4X61*24**	*8MV*1352422**	46000	TDR&TXV	14			12	
ENH4X61*24**	*9MX*0801716A**	46000	TDR&TXV	13.7			11.4	
ENH4X61*24**	*9MX*0802120A**	46500	TDR&TXV	14			11.7	
ENH4X61*24**	*9MX*1002120A**	46500	TDR&TXV	14			11.7	
ENH4X61*24**	*9MX*1202422A**	46500	TDR&TXV	14.2			11.8	
ENH4X61*24**	*9MV*0801716A**	45500	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348AKB	ENH4X61*24**	*9MV*0802120A**	46000	TDR&TXV	14			11.7
	ENH4X61*24**	*9MV*1002120A**	46000	TDR&TXV	14.2			11.8
	ENH4X61*24**	*9MV*1202422A**	46000	TDR&TXV	14.2			11.8
	ENH4X61*24**	*9MA*0802120A**	46000	TDR&TXV	14			11.7
	ENH4X61*24**	*9MA*1002122A**	46000	TDR&TXV	14.5			12
	ENH4X61*24**	*9MA*1202422A**	46000	TDR&TXV	14.2			11.8
	ENH4X61*24**	*9MA*0602120A**	45500	TDR&TXV	13.7			11.5
	ENH4X61*24**	*9MVX080	46000	TDR&TXV	13.5			11.5
	ENH4X61*24**	*9MVX100	46000	TDR&TXV	13.5			11.5
	ENH4X61*24**	*9MX*1002116A**	46000	TDR&TXV	14			11.5
	ENH4X61*24**	*9MV*1002116A**	45500	TDR&TXV	14.2			11.8
	ENH4X61*24**	*9MA*1002120A**	46000	TDR&TXV	14			11.5
	ENH4X61*24**	OLV112A16A	46000	TDR&TXV	13.2			11.2
	ENH4X61*24**	OLV154F20A	46500	TDR&TXV	13.5			11.5
	ENH4X61*24**	*9MPV100	46000	TDR&TXV	13.5			11.5
	ENH4X61*24**	*9MPV125	46000	TDR&TXV	13.5			11.5
	ENH4X61*24**		46000	TXV			13	11
	ENH4X61*24**	*8MPV100	46000	TDR&TXV	14			11.5
	ENH4X61*24**	*8MPV125	46000	TDR&TXV	14			11.7

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A360AKC	*ED*4X60L**		57500	TXV		13		11
	FEM4P60**A*		55000	TDR&TXV	13			11
	FEM4X60****		57500	TDR&TXV	13.2			11.2
	FEM4X60**B*		56000	TDR&TXV	13			11
	FVM4X60****		57500	TDR&TXV	13.5			11.5
	FXM4X60**A*		58000	TDR&TXV	13.5			11
	EA*4X60*21A*	*8MX*1102120**	56500	TDR&TXV	13			11
	EA*4X60*21A*	*9MA*1002122A**	56500	TDR&TXV	13			11
	EA*4X60*21A*		56500	TXV		13		11
	EA*4X60*24A*	*8MX*1102120**	57000	TDR&TXV	13.2			11
	EA*4X60*24A*	*8MX*1352420**	56500	TDR&TXV	13			11
	EA*4X60*24A*	*8MV*1352422**	56500	TDR&TXV	13.2			11
	EA*4X60*24A*	*9MX*1202422A**	56500	TDR&TXV	13			11
	EA*4X60*24A*	*9MV*1202422A**	56500	TDR&TXV	13.3			11
	EA*4X60*24A*	*9MA*1002122A**	56500	TDR&TXV	13			11
	EA*4X60*24A*	*9MA*1202422A**	56500	TDR&TXV	13			11
	EA*4X60*24A*		57500	TXV		13		11
	ED*4X60J**	*8MX*1102120**	56500	TDR&TXV	13.2			11.2
	ED*4X60J**	*9MX*1202422A**	56500	TDR&TXV	13			11
	ED*4X60J**	*9MV*1202422A**	56000	TDR&TXV	13			11
	ED*4X60J**	*9MA*1002122A**	56500	TDR&TXV	13			11
	ED*4X60J**	*9MA*1202422A**	56500	TDR&TXV	13			11
	ED*4X60J**	*9MVX080	56000	TDR&TXV	13			11
	ED*4X60J**		57500	TXV		13		11
	ED*4X60J**	MV16J22**B*	57000	TDR&TXV	13.5			11.2
	ED*4X60L**	*8MV*1352422**	56500	TDR&TXV	13.2			11
	ED*4X60L**	*9MX*1202422A**	56500	TDR&TXV	13			11
	ED*4X60L**	*9MX*1202422A**	56500	TDR&TXV	13			11
	ED*4X60L**	*9MV*1202422A**	56500	TDR&TXV	13.3			11
	ED*4X60L**	*9MA*1002122A**	56500	TDR&TXV	13			11
	ED*4X60L**	*9MA*1202422A**	56500	TDR&TXV	13			11
	ED*4X60L**	*9MA*1202422A**	56500	TDR&TXV	13			11
	ED*4X60L**	*9MA*1202422A**	56500	TDR&TXV	13			11
	ED*4X60L**	*9MVX100	55500	TDR&TXV	13.2			11
	ED*4X60L**	OLV154F20A	57500	TDR&TXV				10.4
	ED*4X60L**	MV20L24**B*	57000	TDR&TXV	13.2			11.2
	EHD4X60A**	*9MX*0802120A**	56500	TDR&TXV	13			11
	EHD4X60A**	*9MX*1202422A**	57000	TDR&TXV	13.3			11
	EHD4X60A**	*9MV*1002120A**	57000	TDR&TXV	13			11
	EHD4X60A**	*9MV*1202422A**	56500	TDR&TXV	13.3			11
	EHD4X60A**	*9MA*0802120A**	56500	TDR&TXV	13			11
	EHD4X60A**	*9MA*1002122A**	57000	TDR&TXV	13			11
	EHD4X60A**	*9MA*1202422A**	56500	TDR&TXV	13.3			11
	EHD4X60A**	*9MVX080	56000	TDR&TXV	13			11
	EHD4X60A**	*9MVX100	55500	TDR&TXV	13.2			11.2
EHD4X60A**		57500	TXV		13		11	
EHD4X60A**	MV16J22**B*	57500	TDR&TXV	13.5			11.5	
EHD4X60A**	MV20L24**B*	57000	TDR&TXV	13.2			11.2	
EN(A,D)4X61*24**	*8MX*1102120**	57500	TDR&TXV	13.2			11	
EN(A,D)4X61*24**	*8MX*1352420**	57500	TDR&TXV	13.45			11	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER		EER	
Standard	W/ Field TDR	W/ Field TXV						
N4A360AKC	EN(A,D)4X61*24**	*8MV*1102120**	57500	TDR&TXV	13.2			11
	EN(A,D)4X61*24**	*8MV*1352422**	57500	TDR&TXV	13.5			11
	EN(A,D)4X61*24**	*9MX*0802120A**	57000	TDR&TXV	13			11
	EN(A,D)4X61*24**	*9MX*1002120A**	57500	TDR&TXV	13			11
	EN(A,D)4X61*24**	*9MX*1202422A**	57000	TDR&TXV	13.3			11
	EN(A,D)4X61*24**	*9MV*1002120A**	57500	TDR&TXV	13			11
	EN(A,D)4X61*24**	*9MV*1202422A**	57000	TDR&TXV	13.3			11
	EN(A,D)4X61*24**	*9MA*0802120A**	57000	TDR&TXV	13			11
	EN(A,D)4X61*24**	*9MA*1002122A**	57500	TDR&TXV	13.2			11.2
	EN(A,D)4X61*24**	*9MA*1202422A**	57000	TDR&TXV	13.3			11
	EN(A,D)4X61*24**	*9MA*1002120A**	57000	TDR&TXV	13			11
	EN(A,D)4X61*24**	*9MPV100	57500	TDR&TXV				10.8
	EN(A,D)4X61*24**		57500	TXV		13		11
	EN(A,D)4X61*24**	*8MPV125	57500	TDR&TXV	13			11
	EN(A,D,W)4X60*24**	*8MV*1352422**	56500	TDR&TXV	13.2			11.2
	EN(A,D,W)4X60*24**	*9MX*1202422A**	56500	TDR&TXV	13			11
	EN(A,D,W)4X60*24**	*9MV*1202422A**	56000	TDR&TXV	13.3			11
	EN(A,D,W)4X60*24**	*9MA*1002122A**	56500	TDR&TXV	13			11
	EN(A,D,W)4X60*24**	*9MA*1202422A**	56500	TDR&TXV	13			11
	EN(A,D,W)4X60*24**		57000	TXV		13		11
	ENH4X60*24**	*8MX*1102120**	56500	TDR&TXV	13.2			11.2
	ENH4X60*24**	*8MV*1352422**	56500	TDR&TXV	13.2			11.2
	ENH4X60*24**	*9MX*1202422A**	56500	TDR&TXV	13			11
	ENH4X60*24**	*9MV*1202422A**	56000	TDR&TXV	13.3			11
	ENH4X60*24**	*9MA*1002122A**	56500	TDR&TXV	13			11
	ENH4X60*24**	*9MA*1202422A**	56500	TDR&TXV	13			11
	ENH4X60*24**		57000	TXV		13		11
	ENH4X61*24**	*8MX*1102120**	57000	TDR&TXV	13.2			11
	ENH4X61*24**	*8MX*1352420**	57000	TDR&TXV	13.2			11
	ENH4X61*24**	*8MV*1102120**	57000	TDR&TXV	13			11
	ENH4X61*24**	*8MV*1352422**	57000	TDR&TXV	13.2			11
	ENH4X61*24**	*9MX*1202422A**	56500	TDR&TXV	13			11
	ENH4X61*24**	*9MV*1202422A**	56500	TDR&TXV	13.3			11
	ENH4X61*24**	*9MA*1002122A**	57000	TDR&TXV	13			11
	ENH4X61*24**	*9MA*1202422A**	56500	TDR&TXV	13			11
	ENH4X61*24**		57500	TXV		13		11
	ENH4X61*24**	*8MPV100	57500	TDR&TXV				10.9
	ENH4X61*24**	*8MPV125	57000	TDR&TXV	13			11

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

ACCESSORY USAGE GUIDELINES		
Accessory	REQUIRED FOR LOW-AMBIENT APPLICATIONS {Below 55°F (13°C)}	REQUIRED FOR LONG-LINE APPLICATIONS* {Over 80 ft. (24.4m)}
Crankcase Heater	Yes	Yes
Evaporator Freeze Thermostat	Yes	No
Winter Start Control	Yes **	No
Hard Start Kit (Capacitor & Relay)	Yes	Yes
Low Ambient Kit (Pressure Switch)	Yes	No
Support Feet, 4" (102mm) tall	Recommended	No
Liquid Line Solenoid Valve	No	See Long-Line Application Guideline

* For Line Set lengths between 80 and 200 ft (24.4 and 61m) horizontal, or more than 20 ft (6.1m) indoor-outdoor vertical separation, refer to the Long Line Application Guideline document.

** Can only be installed in conjunction with Low Pressure Switch.

ACCESSORIES		
Part Number	Description	Used On Model Size
NASA003CH	Crankcase Heater for Scroll Compressor (208/230 V)	18, 24, 30
NASA001CH	Crankcase Heater for Scroll Compressor (208/230 V)	36, 42, 48, 60
NASA001SC	Start Component – PTC Device	ALL
NASA001FS	Evaporator Freeze Thermostat	ALL
NASA403PS	Low Pressure Switch, AC, R-410A	ALL
NASA401LS	Liquid Line Solenoid Valve, R-410A	ALL
NASA001TD	Time Delay Relay, Indoor Blower	ALL
NASA001WS	Winter Start Control	ALL
NASA001AC	Anti-Cycle Timer (5 minute delay)	ALL
NASA404PS	High Pressure Switch, AC or HP, R-410A	ALL
NASA005SC	Hard Start Kit (Capacitor & Relay)	ALL
NASA401LA	Low Ambient Kit (Pressure Switch), R-410A	ALL
NASA001SF	Support Feet, 4" (102mm) tall	ALL
NASA001SJ	Sound Jacket, Compressor	18, 24, 30, 36, 42, 48
NASA003SJ	Sound Jacket, Compressor	60
EBAC05TXVX	TXV Kit, R-410A – 2005-2009 R-22 TXV Fancoils (air handlers)	18, 24, 30
EBAC06TXVX	TXV Kit, R-410A – 2005-2009 R-22 TXV Fancoils (air handlers)	36, 42
EBAC07TXVX	TXV Kit, R-410A – 2005-2009 R-22 TXV Fancoils (air handlers)	48, 60
NAEA40501TX	TXV Kit, R-410A – 2010 and later Piston Coils	18, 24, 30
NAEA40601TX	TXV Kit, R-410A – 2010 and later Piston Coils	36, 42
NAEA40701TX	TXV Kit, R-410A – 2010 and later Piston Coils	48, 60

International Comfort Products, LLC
 Lewisburg, Tennessee 37091 USA
www.GoTempstar.com